SDS - 4258 WS-366



SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: WS-366 FLUX

SDS Number: SDS-4258 **Revised Date:** 3 DECEMBER 2018

Product Use: Industrial Use - Water wash flux

MANUFACTURER:

In America: The Indium Corporation of America®.

34 Robinson Rd., Clinton, New York 13323 USA: 1 (800) 424-9300

Information: (315) 853-4900

nswarts@indium.com

In Europe:

The Indium Corporation of America® (European Operations)

7 Newmarket Ct.

Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

In Asia:

Indium Corporation of America

Asia-Pacific Operations-Singapore

29 Kian Teck Avenue Singapore 628908

Information: +65 6268-8678

EMERGENCY PHONE:

CHEMTREC 24 hrs.

Outside USA: +1 (703) 527-3887

In China:

Indium Corporation (Suzhou), Co., Ltd.

No. 428 Xinglong Street Suzhou Industrial Park Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126 Information: (86) 512-6283-4900

http://www.indium.com

SDS - 4258 WS-366

2. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY:

Carcinogen listed in

⊕Eye ⊕Inhalation ⊕Skin ⊕Ingestion NTP IARC OSHA ⊕Not Listed

GHS:



Signal Word: Warning Harmful statement(s)

H315 Causes skin irritation H320 Causes eye irritation

H335 May cause respiratory irritation

Precautionary statement(s)

P233 Keep container tightly closed

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 +P364 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 + P351 IF IN EYES: Rinse continuously with water for several minutes (15mins)

Classification:

Skin irritant- Category 2 Eye irritant-Category 2B

Respiratory irritant- Category 3

POTENTIAL HEALTH EFFECTS:

Eye Contact: Irritating to the eyes and if not removed promptly, may result in serious eye

injury.

Ingestion: May cause irritation.

Inhalation: Heated vapor concentrations may be harmful if inhaled. Irritating to respiratory tract.

Skin Contact: May cause skin irritation.

Chronic: Not established.

WARNING: This product can expose you to chemicals such as [trace amounts of 1,4 dioxane, propylene oxide, ethylene oxide] which are known to the State of California to cause cancer and [trace amounts of ethylene oxide] which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SDS - 4258 WS-366

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its

products for human consumption.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Components | % wt | CAS Registry # | PEL mg/m³ | TLV-TWA mg/m³ | TLV-STEL mg/m³ | |
|--|-------|----------------|---------------------|------------------|-------------------|--|
| POLYGLYCOL ETHER | 40-50 | 9038-95-3 | N.E. | N.E. | N.E. | |
| PROPRIETARY ACTIVATORS (NON HAZARDOUS) | 50-60 | - | N.E. | N.E. | N.E. | |
| N.E. = Not established | | | | | | |

4. FIRST AID MEASURES

Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical Eye Contact:

attention if irritation persists.

Ingestion: If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give

anything by mouth to an unconscious person. Seek medical attention immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel.

Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before

reuse. If irritation persists, obtain medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable Method: Not applicable

Auto-ignition Temperature: Not established.

Flammable Limits: Limits not established

Use extinguishers appropriate for the surrounding fire conditions. Foam, dry **Extinguishing Media:**

chemical, water spray.

Special Fire Fighting Firefighters must wear NIOSH approved self-contained breathing apparatus and full

Procedures: protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Wear a respirator and appropriate Personal Protective (See Exposure

Controls/Personal Protective Section). Absorb spill with inert material (e.g., dry sand or

earth), then place in a chemical waste container. Dispose of following all Federal, State

and Local regulations.

7. HANDLING AND STORAGE

SDS - 4258 WS-366

Keep containers tightly closed when not in use. Use care to avoid spills. Avoid breathing Handling **Precautions:**

vapors from heated material. Avoid contact with eyes, skin and clothing. Use with adequate

ventilation.

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Keep away from heat

and flame. Store away from incompatible materials. Empty containers may be hazardous as

they contain product residue.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation is necessary to control airborne levels.

Personal protection:

Eyes: Chemical safety glasses/goggles. Face shield for splash hazards.

Respirator: A NIOSH or authority approved or EU compliant CE marked air-purifying respirator with a

fume/organic chemical cartridge is recommended under certain circumstances where airborne

concentrations are expected to be elevated.

Skin: Compatible chemical resistant gloves such, as nitrile should be worn. Protective outer garment,

apron and sleeves as appropriate.

Other: Eyewash fountain in work area. Avoid the use of contact lenses in high fume areas.

Maintain good housekeeping. Clean up spills immediately. Work/Hygienic

Practices: Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water

immediately upon leaving the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Flux **Boiling Point:** Not established Appearance: Odor: Slight characteristic odor. **Melting Point:** Not applicable **Specific Gravity:** Not established pH: Not applicable **Vapor Pressure:** Solubility in Water: Water Soluble Not applicable. Not available Vapor Density: (air=1) Not applicable. Viscosity:

10. STABILITY AND REACTIVITY

General: Stable.

Conditions to Avoid: High temperatures, open flame.

Incompatible Materials: Not established **Hazardous Decomposition /** Not established

Combustion:

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP: No

> OSHA: No IARC: No

SDS - 4258 WS-366

LD50: Not established. **LC50:** Not established.

Other: None known

12. ECOLOGICAL INFORMATION

Product not tested.

13. DISPOSAL CONSIDERATION

Waste Disposal Method: Dispose of in accordance with all Federal, State and Local environmental regulations.

In Europe follow the Special Waste Regulations.

14. TRANSPORT INFORMATION

Transport in accordance with applicable international regulations and requirements. Not hazardous under shipping regulations. North American Emergency Guide Book – Not classified

UN-NONE

MARINE POLLUTANT: NO

15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the Mexican regulations: NOM – 018-STPS-2015 and NOM-010-STPS-2014.

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

This product has been classified in accordance with the guidelines set, by the Dept. of Industrial Health of the Republic of Singapore.

WARNING: This product can expose you to chemicals such as [trace amounts of 1,4 dioxane, propylene oxide, ethylene oxide] which are known to the State of California to cause cancer and [trace amounts of ethylene oxide] which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SARA 313 Listing - 40 CFR 372.65 5-10% polyglycol ether.

All ingredients are listed on the EPA TSCA Inventory.

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)

Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

SDS - 4258 WS-366

This product has been classified using the Chinese Occupational Limit for Hazardous Agents in the Workplace, GBZ2-2007

16. OTHER INFORMATION

HMIS Hazard Rating: Health: 1

Fire: 1
Physical Hazard: 0

Revised Date: 3 DECEMBER 2018

Prepared by: Nancy Swarts, Indium Corporation of America

Approved by: Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.