



INDIUM CORPORATION OF AMERICA®EUROPE®ASIA-  
PACIFIC®INDIUM CORPORATION (SUZHOU)®

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** COPPER RIBBON COATED WITH METAL ALLOY AND R FLUX COATING

**MSDS Number:** MSDS-5101

**Revised Date:** 14 OCTOBER 2009

**Product Use:** INDUSTRIAL USE – COPPER METAL RIBBON COATED WITH VARIOUS METAL ALLOYS WITH A FLUX COATING

#### MANUFACTURER:

##### In America:

The Indium Corporation of America  
1676 Lincoln Ave., Utica NY 13502  
Information: (315) 853-4900  
nswarts@indium.com

##### EMERGENCY PHONE:

**CHEMTREC 24 hrs.**  
**USA: 1 (800) 424-9300**  
**Outside USA: 1 (703) 527-3887**

##### In Europe:

Indium Corporation of Europe  
7 Newmarket Ct.  
Kingston, Milton Keynes, UK, MK 10 OAG  
Information: +44 [0] 1908 580400

##### In Asia:

Asia-Pacific Operations-Singapore  
29 Kian Teck Avenue  
Singapore 628908  
Information: +65 6268-8678

##### In China:

Indium Corporation (Suzhou) Co., Ltd.  
No. 428 Xinglong Street  
Suzhou Industrial Park  
Suchun Industrial Square  
Unit No. 14C  
Jiangsu Province, China 215126  
Information: 86-512-6283-4900

## 2. HAZARDS IDENTIFICATION

### PRIMARY ROUTES OF ENTRY:

√ Eye    √ Inhalation    √ Skin    √ Ingestion

### CARCINOGEN LISTED IN:

NTP    IARC    OSHA    √ Not Listed

GHS:



### POTENTIAL HEALTH EFFECTS:

- Eye Contact:** Contact with powdered metal alloy or fume from molten metal may cause irritation. Severe eye damage may result from hot molten metal being splashed into the eyes. Wear safety glasses and face shield when working with molten metal.
- Ingestion:** Ingestion of dust may cause nausea. May be harmful.
- Inhalation:** Inhalation of fume or dust may cause local irritation to the respiratory system. Rosin may cause occupational asthma.
- Skin Contact:** Normal handling should not cause any adverse health effects. Hot molten metal may cause burns to the skin. Wear protective equipment when handling molten metal. Exposure to copper dust may cause a greenish-black skin discoloration. Rosin may cause irritation or dermatitis.
- Chronic:** **COPPER:** Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever; dry throat, cough, weakness, lassitude); metallic or sweet taste; discoloration of skin and hair.
- TIN:** Has been shown to increase incidence of sarcoma in animal tests.
- SILVER:** Chronic skin contact or ingestion of silver powder, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.
- WARNING:** This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (trace levels of lead)
- NOTE:** The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	% wt	CAS Registry #	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
TIN	*	7440-31-5 (US)	2	2	-
		(EU)	-	2	4
		(Canada)	-	2	4

		(Singapore)	2	-	-
<b>SILVER</b>	*	7440-22-4 (US)	0.01	0.1	-
		(EU)	-	0.1	-
		(Canada)	-	0.1	0.3
		(Singapore)	0.1	-	-
		(Mexico)	-	0.1	-
<b>COPPER</b>	99	7440-50-8 (US)	0.1	0.1	-
		(EU)	-	0.1	-
		(Canada)	-	0.2	0.6
		(Singapore)	0.2(fume)	1(dust)	-
		(Mexico)	-	0.2(fume) 1(dust)	2
		(China)	-	1(dust) 0.2(fume)	2.5 0.6
<b>ROSIN</b>	1-3	65997-05-9	N.E	N.E.	N.E
		(EU)	0.05	-	0.15

Symbol: X<sub>n</sub>

Risk Phrases: R36/37/38

N.E. = Not established

EU = European Union Occupational Exposure Limits

\* See alloy table

**PRODUCT DOES NOT CONTAIN ANY REPORTABLE EU SUBSTANCES OF VERY HIGH CONCERN(SVHC)****ALLOY TABLE**

## Metal Alloy Mixture For Coating

Indalloy	%Tin Sn	%Silver Ag	Specific Gravity	
121	96.5	3.5	7.50	

**4. FIRST AID MEASURES**

- Eye Contact:** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
- Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.
- Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
- Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before

reuse. If irritation persists, obtain medical attention.

## 5. FIRE FIGHTING MEASURES

<b>Flash Point:</b>	Not established.	<b>Method:</b>	Not established.
<b>Auto-ignition Temperature:</b>	Not established.		
<b>Flammable Limits:</b>	Limits not established. Massive metal is not flammable; however dust or powder may be flammable.		
<b>Extinguishing Media:</b>	Use extinguishers appropriate for the surrounding fire conditions.		
<b>Special Fire Fighting Procedures:</b>	Firefighters must wear NIOSH approved self-contained breathing apparatus and full protective clothing.		

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spill or Leak Procedures:</b>	Contain spill. If molten, cool to allow metal to solidify. If a solid metal, wear gloves, pick up and return to process. If dust, wear recommended personal protective equipment. Do not sweep. Use a vacuum, place in barrels and return to process if applicable. Otherwise, dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations. Metal may have reclaim value.
----------------------------------	---

## 7. HANDLING AND STORAGE

<b>Handling Precautions:</b>	Only dry metals should be added to molten bath. If working with molten metals, or exposed to fume or dust, use appropriate personal protective equipment.
<b>Storage Precautions:</b>	Store product in a cool, dry area away from incompatible materials.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering Controls:</b>	Local exhaust ventilation is recommended to control any air contaminants. Control concentration of all components so that their exposure levels are not exceeded.
<b>Personal protection:</b>	
<b>Eyes:</b>	Chemical safety glasses/goggles and face shield with molten metal.
<b>Respirator:</b>	An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated.
<b>Skin:</b>	Gloves-leather or impervious (vinyl) type. Heat resistant gloves if handling hot metal. Safety type boots. Personal protective equipment is recommended when working with molten metal to avoid burns.
<b>Other:</b>	Lab coat, safety shower and eye-wash fountain in work area. Avoid the use of contact lenses in high fume areas.
<b>Work/Hygienic Practices:</b>	Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Solid metal	<b>Boiling Point:</b>	2595C (copper)
<b>Odor:</b>	Odorless	<b>Melting Point:</b>	1083C (copper)
<b>Specific Gravity:</b>	8.92 (copper)	<b>pH:</b>	Not applicable
<b>Vapor Pressure:</b>	Not applicable.	<b>Solubility in Water:</b>	Insoluble
<b>Vapor Density:</b>	(air=1) Not applicable.		

**10. STABILITY AND REACTIVITY**

<b>General:</b>	Stable.
<b>Conditions to Avoid:</b>	Not established.
<b>Incompatible Materials:</b>	Avoid contact with mineral acids.
<b>Hazardous Decomposition / Combustion:</b>	Harmful organic fumes and toxic oxide fumes may form at elevated temperatures.
<b>Hazardous Polymerization:</b>	Will not occur.

**11. TOXICOLOGICAL INFORMATION**

<b>Carcinogenicity: National Toxicity Program (NTP):</b>	No		
<b>Occupational Safety &amp; Health Administration (OSHA):</b>	No		
<b>U.N. International Agency for Research on Cancer (IARC):</b>	No		
<b>LD50:</b>	Not established	<b>LC50:</b>	Not established
<b>Irritancy of Product:</b>	Not established	<b>Mutagenicity:</b>	Not established
<b>Sensitization to Product:</b>	Not established	<b>Teratogenicity:</b>	Not established
<b>Reproductive Toxicity:</b>	No specific data is available	<b>Synergistic Products:</b>	Not established

**12. ECOLOGICAL INFORMATION**

This section is subject to future development. Product not tested.

**13. DISPOSAL CONSIDERATION**

**Waste Disposal Method:** Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

**14. TRANSPORT INFORMATION**

Transport in accordance with applicable regulations and requirements. Not regulated under US DOT (United States Department of Transportation). Non hazardous for shipping.

## 15. REGULATORY INFORMATION

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

The information in this Material Safety Data Sheet meets the requirements of the EU under Chemicals (Hazard Information and Packaging for Supply) Regulations 1994 (CHIP 2) Regulation 6.

This product has been classified in accordance with the hazard criteria of the Commission Directive 91/155/EEC and EH40.

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: D2B Materials Causing Other Toxic Effects –irritant (rosin)



This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2002.

This product has been classified in accordance with the Mexican regulations NOM-018-STPS-2000 and NOM-010-STPS-1999.

California PROP 65: WARNING : This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (trace levels of lead)

SARA 313 Listing - 40 CFR 372.65: Silver CAS# 7440-22-4 Copper CAS# 7440-50-8

All ingredients are listed on the EPA TSCA Inventory.

EC Classification, Packaging and Labeling Requirements:

Symbol and Hazard Classification of Product

Xi

### Risk Phrases:

- R36/37/38 Irritating to eyes, respiratory system and skin  
 R42/43 May cause sensitization by inhalation and by skin contact

### Safety Phrases:

- S20/21 When using do not eat, drink or smoke  
 S22 Do not breathe dust  
 S23 Do not breathe fumes  
 S24/25 Avoid contact with skin and eyes  
 S27 Take off immediately all contaminated clothing  
 S28 After contact with skin wash immediately with plenty of soap and water

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

## 16. OTHER INFORMATION

**HMIS Hazard Rating:**

<b>Health:</b>	1
<b>Fire:</b>	0
<b>Reactivity:</b>	0

**Revised Date:** 14 OCTOBER 2009

**Prepared by:** Nancy Swarts, Indium Corporation of America

**Approved by:** Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container. The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.