



INDIUM CORPORATION OF AMERICA  
®\EUROPE®\ASIA-PACIFIC®\INDIUM CORPORATION (SUZHOU) ®

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** COPPER MESH COATED WITH METAL ALLOY MIXTURES

**SDS Number:** SDS-5099

**Revised Date:** 11 APRIL 2016

**Product Use:** INDUSTRIAL USE - METAL ALLOY MIXTURE WITH COPPER MESH .  
(METAL PREFORM). REVIEW METAL ALLOY TABLE FOR MIXTURE COMBINATIONS.

#### MANUFACTURER:

##### In America:

The Indium Corporation of America  
1676 Lincoln Ave., Utica NY 13502  
Information: (315) 853-4900  
nswarts@indium.com

##### EMERGENCY PHONE:

**CHEMTREC 24 hrs.**  
**USA: 1 (800) 424-9300**  
**Outside USA: +1 (703) 527-3887**

##### In Europe:

Indium Corporation of Europe  
7 Newmarket Ct.  
Kingston, Milton Keynes, UK, MK 10 OAG  
Information: +44 [0] 1908 580400

##### In Asia:

Indium Corporation of America  
Asia-Pacific Operations-Singapore  
29 Kian Teck Avenue  
Singapore 628908  
Information: +65 6268-8678

##### In China:

Indium Corporation (Suzhou) Co., Ltd.  
No. 428 Xinglong Street  
Suzhou Industrial Park  
Suchun Industrial Square  
Unit No. 14-C  
Jiangsu Province, China 215126  
Information: (86) 512-6283-4900

## 2. HAZARDS IDENTIFICATION

**PRIMARY ROUTES OF ENTRY:**

√ Eye    √ Inhalation    √ Skin    √ Ingestion

**CARCINOGEN LISTED IN:**

NTP    IARC    OSHA    √ Not Listed  
See Section 11

GHS: Non Lead Indium Containing Products



Signal Word: Warning

Hazard Statement(s)

H335                    May cause respiratory irritation

Precautionary statement(s)

- P261                    Avoid breathing dust/fume/gas/mist/vapors/spray
- P270                    Do not eat, drink or smoke when using this product
- P273                    Avoid release to the environment
- P280                    Wear protective gloves/protective clothing/eye protection/face protection
- P362                    Take off contaminated clothing and wash before reuse
- P301 + P314            IF SWALLOWED: Get Medical advice/attention if you feel unwell
- P302 +P352            IF ON SKIN: Wash with plenty of soap and water
- P304 + 341            IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + 351            IF IN EYES: Rinse continuously with water for several minutes (15 mins)

GHS: For Lead Containing Products Only



Signal Word: Danger

- H303                    May be harmful if swallowed
- H351                    Suspected of causing cancer
- H361                    Suspected of damaging fertility or the unborn child
- H373                    May cause damage to organs through prolonged or repeated exposure
- H410                    Very toxic to aquatic life, with long lasting effects
- EUH201A              Warning! Contains lead. Review listing.

Precautionary statement(s)

- P261                    Avoid breathing dust/fume/gas/mist/vapors/spray
- P270                    Do not eat, drink or smoke when using this product
- P273                    Avoid release to the environment
- P280                    Wear protective gloves/protective clothing/eye protection/face protection
- P362+P364            Take off contaminated clothing and wash before reuse
- P301 + P314            IF SWALLOWED: Get Medical advice/attention if you feel unwell
- P302 +P352            IF ON SKIN: Wash with plenty of soap and water
- P304 + 341            IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + 351            IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification

Acute toxicity (oral) - Category 4  
Carcinogenicity - Category 2

Reproductive toxicity-Category 2  
 Specific target organ- repeat- Category 2  
 Acute aquatic toxicity- Category 1 (H400)  
 Chronic aquatic toxicity- Category 1 (H410)

GHS – Other

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
 P270 Do not eat, drink or smoke when using this product  
 P273 Avoid release to the environment  
 P280 Wear protective gloves/protective clothing/eye protection/face protection  
 P362 Take off contaminated clothing and wash before reuse  
 P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water  
 P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing  
 P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** Contact with metal alloy fume from molten metal may cause irritation. Severe eye damage may result from hot molten metal being splashed into the eyes. Wear safety glasses and face shield when working with molten metal. Normal handling of metal preform does not pose a hazard.

**Ingestion:** Ingestion may be harmful. May cause irritation.

**Inhalation:** Inhalation of fume or dust may cause local irritation or harm to the respiratory system. Avoid inhalation.

**Skin Contact:** Normal handling of solid metal should not cause any adverse health effects. Hot molten metal may cause burns to the skin. Wear protective equipment when handling molten metal. Exposure to copper dust may cause a greenish-black skin discoloration.

**Chronic:** **COPPER:** Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever; dry throat, cough, weakness, lassitude); metallic or sweet taste; discoloration of skin and hair.

**TIN:** Has been shown to increase incidence of sarcoma in animal tests.

**SILVER:** Chronic skin contact or ingestion of silver powder, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

**LEAD:** Prolonged exposure to vapors or fumes at higher temperatures may cause respiratory irritation and systematic lead poisoning. Symptoms of lead poisoning include headache, nausea, abdominal pain, muscle and joint pain and damage to the nervous system, blood system and kidneys.

**INDIUM:** May cause damage to respiratory system.

**WARNING:** This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (lead)

**NOTE:** The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

**Warning:** This product may contain lead. Lead may be harmful to your health. US Federal law prohibits the

**use of leaded solders in making joints or fittings in any private or public water supply system.  
Keep out of the reach of children.**

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	% wt	CAS Registry #	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
<b>TIN</b>	*	7440-31-5/231-141-8			
		(US)	2	2	-
		(EU)	-	2	4
		(Canada)	-	2	4
		(Singapore)	2	-	-
<b>SILVER</b>	*	7440-22-4/231-131-3			
		(US)	0.01	0.1	-
		(EU)	-	0.1	-
		(Canada)	-	0.1	0.3
		(Singapore)	0.1	-	-
(Mexico)	-	0.1	-		
<b>COPPER</b>	*	7440-50-8/231-159-6			
		(US)	0.1	0.1	-
		(EU)	-	0.1	-
		(Canada)	-	0.2	0.6
		(Singapore)	0.2(fume)	1(dust)	-
		(Mexico)	-	0.2(fume) 1(dust)	2
		(China)	-	1(dust) 0.2(fume)	2.5 0.6
<b>LEAD</b>	*	7439-92-1/231-100-4			
		(US)	0.05	0.05	-
		(EU)	-	0.15	-
		(Canada)	0.05	0.05	-
		(Singapore)	0.15	-	-
		(Mexico)	N.E.	0.15	-
(China)	-	0.05(dust) 0.03(fume)	- -		

<b>ANTIMONY</b>	*	7440-36-0/231-146-5			
			(US)	0.5	0.5
			(EU)	0.5	-
			(Canada)	-	0.5
			(China)	-	0.5
			(Mexico)	-	0.5
			(Singapore)	0.5	-
<b>INDIUM</b>	*	7440-74-6/231-180-0			
			(US)	0.1	0.1
			(EU)	-	0.1
			(Canada)	-	0.1
			(Mexico)	0.1	-
			(Singapore)	0.1	-
			(China)	-	0.1
N.E. = Not established			*See alloy table		

**4. FIRST AID MEASURES**

**Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.

**Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.

**Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

**5. FIRE FIGHTING MEASURES**

**Flash Point:** Not established. **Method:** Not established.

**Auto-ignition Temperature:** Not established.

**Flammable Limits:** Limits not established. Massive metal is not flammable; however dust or powder may be flammable.

**Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions.

**Special Fire Fighting Procedures:** Firefighters must wear NIOSH approved self-contained breathing apparatus and full protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

**Spill or Leak Procedures:** Contain spill. If molten, cool to allow metal to solidify. If a solid metal, wear gloves, pick up and return to process. If dust, wear recommended personal protective equipment. Do not sweep. Use a vacuum, place in barrels and return to process if applicable. Otherwise, dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations. Metal may have reclaim value.

## 7. HANDLING AND STORAGE

**Handling Precautions:** Only dry metals should be added to molten bath. If working with molten metals, or exposed to fume or dust, use appropriate personal protective equipment.

**Storage Precautions:** Store product in a cool, dry area away from incompatible materials.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Local exhaust ventilation is recommended to control any air contaminants. Control concentration of all components so that their exposure levels are not exceeded.

### Personal protection:

**Eyes:** Chemical safety glasses/goggles and face shield with molten metal.

**Respirator:** An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated and engineering controls are not effective.

**Skin:** Gloves-leather or impervious (vinyl) type. Heat resistant gloves if handling hot metal. Safety type boots. Personal protective equipment is recommended when working with molten metal to avoid burns.

**Other:** Lab coat, safety shower and eye-wash fountain in work area. Avoid the use of contact lenses in high fume areas.

**Work/Hygienic Practices:** Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area. Follow proper lead work practices when applicable.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Silver grey solid metal	<b>Boiling Point:</b>	2595C (copper)
<b>Odor:</b>	Odorless	<b>Melting Point:</b>	1083C (copper)
<b>Specific Gravity:</b>	8.92 (copper)	<b>pH:</b>	Not applicable
<b>Vapor Pressure:</b>	Not applicable.	<b>Solubility in Water:</b>	Insoluble
<b>Vapor Density:</b>	(air=1) Not applicable.	<b>Viscosity:</b>	Consult product data sheet
<b>Evaporation rate:</b>	Not applicable	<b>Decomposition temp:</b>	Not available
<b>Flash point:</b>	Not flammable	<b>Flammability:</b>	Not applicable
<b>Auto-ignition temp:</b>	Not applicable		

**10. STABILITY AND REACTIVITY**

<b>General:</b>	Stable.
<b>Conditions to Avoid:</b>	Not established.
<b>Incompatible Materials:</b>	Avoid contact with mineral acids.
<b>Hazardous Decomposition / Combustion:</b>	Harmful organic fumes and toxic oxide fumes may form at elevated temperatures.
<b>Hazardous Polymerization:</b>	Will not occur.

**11. TOXICOLOGICAL INFORMATION****Carcinogenicity:**

<b>National Toxicity Program (NTP):</b>	No
<b>Occupational Safety &amp; Health Administration (OSHA):</b>	No (29CFR1910.1025 (lead))
<b>U.N. International Agency for Research on Cancer (IARC):</b>	Yes (Lead and lead compounds are listed as possible carcinogens)

<b>LD50:</b>	Not established	<b>LC50:</b>	Not established
--------------	-----------------	--------------	-----------------

Other: Lead can cause potential harm to the developing fetus.

Lead- may cause damage to organs through prolonged or repeated exposures.

Suspected human reproductive toxicant.

Teratogenicity:

Developmental toxicity- rat-inhalation

Developmental toxicity – rat- oral

Reproductive toxicity- rat- inhalation

Effects on Newborn: biochemical and metabolic

Genotoxicity in vivo- rat-inhalation- cytogenetic analysis

RTECS# : OF7525000 (lead), VM3500000 (silver), XP7320000 (tin), GL5325000 (dusts) GL7900000 (fume) (copper)

**12. ECOLOGICAL INFORMATION**

Product not tested.

Lead: Bioaccumulation: Oncorhynchus kisutch – 2 weeks

Lead: Toxicity to fish – mortality LOEC –oncorhynchus mykiss (rainbow trout) – 1.190 mg/l – 96h

Lead: Toxicity to algae – mortality EC50 – Skeletonema costatum – 7.94 mg/l – 10d

An environmental hazard cannot be excluded in the event of unprofessional handling of lead containing product.

Lead- very toxic to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATION

**Waste Disposal Method:** Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

### 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements. Not regulated under US DOT (United States Department of Transportation). Not hazardous under shipping regulations.(ground/IATA/Ocean)

UN- none

North America Emergency Guide Book – Not applicable

### 15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

California PROP 65: WARNING : This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (lead)

SARA 313 Listing - 40 CFR 372.65: Silver, Lead, Copper, Antimony

All ingredients are listed on the EPA TSCA Inventory.

EPA Genetic Toxicology Program - Lead CAS# 7439-92-1

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).



Canadian WHMIS: D2A - Materials Causing Other Toxic Effects - Very Toxic Material (Chronic).

(lead)

Ingredients are listed on the Canadian Domestic Substance List.

This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products

GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)

Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2002.

Malaysia:

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER



This product has been classified in accordance with the Mexican regulations NOM-018-STPS-2015 and NOM-010-STPS-2014.

## 16. OTHER INFORMATION

**HMIS Hazard Rating:**      **Health:**            2  
   **Fire:**                    0  
   **Reactivity:**        0

**Revised Date:**            11 APRIL 2016

**Prepared by:**            Nancy Swarts, Indium Corporation of America

**Approved by:**            Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container. The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

## Alloy Table

### Metal alloys

Indalloy (metal mixture)	%Tin Sn	%Lead Pb	%Indium In	%Silver Ag	% Antimony Sb
1E	48	-	52	-	-
2	-	15	80	5	-
104	62	36	-	2	-
133	95	-	-	-	5
155	5	90	-	5	-