

# SAFETY DATA SHEET

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: TACFLUX 014

SDS Number: SDS-IN TF014 Revised Date: 7 SEPTEMBER 2018

Product Use: Industrial use - Tacflux for soldering

### **MANUFACTURER:**

In America:

The Indium Corporation of America® 34 Robinson Rd., Clinton, NY 13323

Information: (315) 853-4900 nswarts@indium.com

In Europe:

Indium Corporation of Europe® (Eurpoean Operations)

7 Newmarket Ct.

Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

In Asia:

The Indium Corporation of America Asia-Pacific Operations-Singapore

29 Kian Teck Avenue Singapore 628908

Information: +65 6268-8678 Suchun Industrial Square **EMERGENCY PHONE:** 

CHEMTREC 24 hrs. USA: 1 (800) 424-9300

Outside USA: +1 (703) 527-3887 China Emergency: +86 4008417580

In China:

Indium Corporation (Suzhou) Co., Ltd.

No. 428 Xinglong Street Suzhou Industrial Park Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126 Information: (86) 512-6283-4900

# 2. HAZARDS IDENTIFICATION

#### PRIMARY ROUTES OF ENTRY:

# Carcinogen listed in

XEye XInhalation XSkin XIngestion NTP IARC OSHA XNot Listed

GHS:





### Signal Word: Warning Hazard statement(s)

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

EUH208 Contains rosin. May produce an allergic reaction

Precautionary statement(s)

P233 Keep container tightly closed

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 +P364 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

\_\_\_\_\_\_

### Classification:

Skin sensitization-Category 1B Serious eye irritation-Category 2A Respiratory sensitization-1B

#### **POTENTIAL HEALTH EFFECTS:**

Eye Contact: Irritating to the eyes and if not removed promptly, may result in serious eye irritation. Do

not allow material to come in contact with the eyes.

**Ingestion:** May cause irritation or harm.

**Inhalation:** Heated vapor concentrations may be harmful if inhaled or cause irritation to respiratory tract. Rosin

may cause occupational asthma.

Skin Contact: May cause skin irritation. Allergic reactions are possible, especially with repeated or prolonged

exposure.

**Chronic:** Not established.

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of it's

product's for human consumption.

3. COMPOSITION / INFORMATION ON INGREDIENTS					
Components	% wt	CAS Registry #	PEL mg/m³	TLV-TWA mg/m³	TLV-STEL mg/m³
ROSIN	30-40	65997-05-9 (US)	N.E.	N.E.	N.E.
		(EU)	0.05	N.E.	0.15 (sensitiser)
POLYGLYCOL ETHER	20-30	9038-95-3	N.E.	N.E.	N.E.
PROPRIETARY	30-50	-	N.E.	N.E.	N.E.
N.E. = Not established EU = European Union Occupational Exposure Limits					

### 4. FIRST AID MEASURES

Eye Contact: Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical

attention if irritation persists.

**Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give

anything by mouth to an unconscious person. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel.

Seek immediate medical attention.

**Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before

reuse. If irritation persists, obtain medical attention.

### 5. FIRE FIGHTING MEASURES

Flash Point: > 200 F Method: ASTM D93-02A

Auto-ignition Temperature: Not established.

Flammable Limits: Limits not established, not flammable.

**Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions.

Special Fire Fighting Firefighters must wear NIOSH approved self-contained breathing apparatus and full

**Procedures:** protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES

**Spill or Leak Procedures:** Wear a respirator and appropriate personal protection (See Exposure

Controls/Personal Protective Section). Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of following all Federal, State

and Local regulations. In the EU refer to the Special Waste Regulations.

#### 7. HANDLING AND STORAGE

**Handling** Keep containers tightly closed when not in use. Use care to avoid spills. Avoid breathing

Precautions: vapors from heated material. Avoid contact with eyes, skin and clothing. Use with adequate

ventilation.

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Keep away from heat

and flame. Store away from incompatible materials. Empty containers may be hazardous as

they contain product residue.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Good exhaust ventilation should be sufficient to control airborne levels.

Personal protection:

**Eyes:** Chemical safety glasses/goggles. Face shield for splash hazards.

**Respirator:** A NIOSH approved or EU compliant CE marked air-purifying respirator with a fume/organic chemical

cartridge is recommended under certain circumstances where airborne concentrations are expected

to be elevated.

**Skin:** Compatible chemical resistant gloves. Protective outer garment or apron and sleeves as appropriate.

**Other:** Eyewash fountain in work area. Avoid the use of contact lenses in high fume areas.

Work/Hygienic Maintain good housekeeping. Clean up spills immediately.

**Practices:** Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water

immediately upon leaving the work area.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Flux **Boiling Point:** Not applicable. Mild characteristic odor. **Melting Point:** Odor: Not applicable **Specific Gravity:** Not applicable. pH: Not applicable Vapor Pressure: Not applicable. Solubility in Water: Insoluble (paste)

Vapor Density: (air=1) Not applicable.

### **10.STABILITY AND REACTIVITY**

General: Stable.

**Conditions to Avoid:** Freezing temperatures. High temperatures.

Incompatible Materials: Not established

Hazardous Decomposition / Harmful organic fumes and toxic oxide fumes may form at elevated

Combustion: temperatures.

Hazardous Polymerization: Will not occur.

# 11. TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP: No

OSHA: No IARC: No

**LD50:** Not established. **LC50:** Not established.

Other: None known

# 12. ECOLOGICAL INFORMATION

Product not tested.

### 13. DISPOSAL CONSIDERATION

**Waste Disposal Method:** Dispose of in accordance with all Federal, State and Local environmental regulations.

In Europe follow the Special Waste Regulations.

### 14. TRANSPORT INFORMATION

Transport in accordance with applicable international regulations and requirements. Not regulated under US DOT (United States Department of Transportation).

**UN - NONE** 

North American Emergency Guide Book - Not applicable

#### 15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).



WHMIS: D2B Materials Causing Other Toxic Effects -irritant

This product has been classified in accordance with the guidelines set by the Dept. of Industrial Health of the Republic of Singapore.

SARA 313 Listing - 40 CFR 372.65 - none

All ingredients are listed on the EPA TSCA Inventory.

This product has been classified under the Mexican regulations NOM-018-STPS-2015 and NOM-010-STPS-2014.

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products

GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)

Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2007.

# **16. OTHER INFORMATION**

HMIS Hazard Rating: Health: 1

Fire: 1
Reactivity: 0

**Revised Date:** 7 SEPTEMBER 2018

Prepared by: Nancy Swarts, Indium Corporation of America

Approved by: Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.