



## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** 16-1050-THINNER

**SDS Number:** SDS-HG404

**Revised Date:** 21 DECEMBER 2018

**Product Use:** INDUSTRIAL USE - THINNER

#### MANUFACTURER:

##### In America:

The Indium Corporation of America®.

34 Robinson Rd., Clinton, NY 13323

Information: (315) 853-4900

[nswarts@indium.com](mailto:nswarts@indium.com)

##### EMERGENCY PHONE:

**CHEMTREC 24 hrs.**

**USA: 1 (800) 424-9300**

**Outside USA: +1 (703) 527-3887**

**In China: Emergency 86+ 4008417580**

##### In Europe:

The Indium Corporation of America® (European Operations)

7 Newmarket Ct

Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

##### In China:

Indium Corporation (Suzhou), Co., Ltd.

No. 428 Xinglong Street

Suzhou Industrial Park

Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126

Information: (86) 512-6283-4900

##### In Asia:

Indium Corporation of America

Asia-Pacific Operations-Singapore

29 Kian Teck Avenue

Singapore 628908

Information: +65 6268-8678

<http://www.indium.com>

**2. HAZARDS IDENTIFICATION**

**PRIMARY ROUTES OF ENTRY:**

XEye      XInhalation      XSkin      XIngestion      NTP      IARC      OSHA      XNot Listed

**Carcinogen listed in**

GHS:



Signal Word: Danger

**Hazard statement(s)**

H225      Highly flammable liquid and vapor  
 H319      Causes serious eye irritation  
 H336      May cause drowsiness or dizziness

**Precautionary statement(s)**

P210      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
 P233      Keep container tightly closed  
 P240      Ground/Bond container and receiving equipment  
 P241      Use explosion-proof electrical/ventilating/lightening/equipment  
 P242      Use only non- sparking tools  
 P261      Avoid breathing dust/fume/gas/mist/vapors/spray  
 P270      Do not eat, drink or smoke when using this product  
 P273      Avoid release to the environment  
 P280      Wear protective gloves/protective clothing/eye protection/face protection  
 P362 + P364      Take off contaminated clothing and wash before reuse  
 P301 + P314      IF SWALLOWED: Get Medical advice/attention if you feel unwell  
 P302 + P352      IF ON SKIN: Wash with plenty of soap and water  
 P304 + P341      IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing  
 P305 + P351      IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification:

Flammable Liquid – Category 2  
 Eye irritation – Category 2A  
 Specific target organ toxicity- single exposure – Category 3- central nervous system

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:**      Vapors may be irritating, liquid may damage eye tissue.  
**Ingestion:**      May result in gastric disturbances such as nausea and vomiting. May cause irritation.  
**Inhalation:**      May cause throat irritation, headache or dizziness.  
**Skin Contact:**      Prolonged contact may cause irritation or dermatitis.  
**Chronic:**      Not established.

**NOTE:**      **The Indium Corporation does not recommend, manufacture, market or endorse any of it's products for human consumption.**

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Components	% wt	CAS Registry #	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
ISOPROPYL ALCOHOL	90-95	67-63-0 (US)	980	983	1230
		(EU)	-	999	1250
		(Canada)	-	983	1228
		(Singapore)	983	-	1230
		(Mexico)	-	980	1225
		(China)	-	350	700
PROPRIETARY ADDITIVE	5-10	-	-	-	-

N.E. = Not established

**4. FIRST AID MEASURES**

- Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.
- Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.
- Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
- Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

**5. FIRE FIGHTING MEASURES**

- Flash Point:** 54F (12C)      **Method:** TCC
- Auto-ignition Temperature:** 750 F
- Flammable Limits:** Upper limit 12. Lower limit 2.
- Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions.
- Special Fire Fighting Procedures:** Standard fire fighting equipment

**6. ACCIDENTAL RELEASE MEASURES**

**Spill or Leak Procedures:** DO NOT allow material to enter sewer system or waterway. Wear personal protective equipment, such as gloves and depending on the quantity a respirator with organic cartridges may be required. Clean up by absorption. Eliminate sources of ignition. Keep unnecessary personnel away. Put clean-up materials in a properly labeled metal drum. Dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations.

**7. HANDLING AND STORAGE**

- Handling Precautions:** Keep containers tightly closed when not in use. Use care to avoid spills. Wear personal protective equipment. Ground containers.
- Storage Precautions:** Store product in tightly capped original containers in a cool, dry area away from sources of ignition. Refer to product label for specific storage temperature requirements. Rotate stock to ensure use before expiration date on the label.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Face velocity >2.1 cubic feet/minute in confined areas. Exhaust ventilation is recommended to keep exposure limits as low as possible.

**Personal protection:**

- Eyes:** Chemical safety glasses/goggles. Face shield for splash hazards.
- Respirator:** An authority approved or compliant marked air-purifying respirator with a fume/organic chemical cartridge is recommended where airborne concentrations are expected to be elevated.
- Skin:** Compatible chemical resistant gloves.
- Other:** Lab coat, eyewash fountain in work area. Avoid the use of contact lenses in high fume/splash areas.
- Work/Hygienic Practices:** Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Liquid, colorless	<b>Boiling Point:</b>	177°F
<b>Odor:</b>	Alcoholic	<b>Melting Point:</b>	Not applicable
<b>Specific Gravity:</b>	0.808	<b>pH:</b>	7.20
<b>Vapor Pressure:</b>	33 mm HG @68°C	<b>Solubility in Water:</b>	Soluble
<b>Vapor Density:</b>	2.1	<b>Evaporation Rate:</b>	1.7
<b>Volatile by Volume:</b>	100%		

**10. STABILITY AND REACTIVITY**

- General:** Stable.
- Conditions to Avoid:** Direct heat, open flames and storage in aluminum.
- Incompatible Materials:** phosphorus, halogens, anhydrides, monomers, aldehydes, trichlorides
- Hazardous Decomposition / Combustion:** Carbon dioxide/carbon monoxide.
- Hazardous Polymerization:** Will not occur.

**11. TOXICOLOGICAL INFORMATION**

**Carcinogenicity:** NTP: No  
OSHA: No  
IARC: No

**LD50:** Not established.                      **LC50:** Not established.

**12. ECOLOGICAL INFORMATION**

Product not tested.

**13. DISPOSAL CONSIDERATION**

**Waste Disposal Method:** Dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

**14. TRANSPORT INFORMATION**

Transport in accordance with applicable international regulations and requirements.

UN1219, Isopropyl Alcohol, 3, PG II

North American Emergency Guide Book – Guide #129

**15. REGULATORY INFORMATION**

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: Class B Division 2 Flammable, D2B Toxic Material Causing Other Toxic Effects (eye irritation in animals).



This product has been classified in accordance with the guidelines set, by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with the Mexican guidelines, NOM-018-STPS-2015 and NOM-010-STPS-2014.

In China:

This product has been classified using the Chinese Occupational Limit for Hazardous Agents in the Workplace, GBZ2-2007. Decree No. 591: Regulations on the Control over Safety of Hazardous Chemicals  
GB 30000.2-29-2013, Rules for classification and labeling of chemicals. (GHS)  
GB/T 16483-2008, GB/T 17517-2013

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

SARA 313 Listing - 40 CFR 372.65: None

All ingredients are listed on the EPA TSCA Inventory.

## 16. OTHER INFORMATION

<b>HMIS Hazard Rating:</b>	<b>Health:</b>	2
	<b>Fire:</b>	3
	<b>Reactivity:</b>	0

**Revised Date:** 21 DECEMBER 2018

**Prepared by:** Nancy Swarts, Indium Corporation of America

**Approved by:** Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.