



SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: 1081 FLUX

SDS Number: SDS-HG4023

Revised Date: 2 MAY 2018

Product Use: Industrial Use – Water Soluble Solder Flux

MANUFACTURER:

The Indium Corporation of America®
34 Robinson Rd., Clinton, New York 13323
Information: (315) 853-4900
NSWARTS@INDIUM.COM

CHEMTREC 24 hrs.
USA: 1 (800) 424-9300
Outside USA: +1 (703) 527-3887

In Europe:

Indium Corporation of America ® (European Operations)
7 Newmarket Ct.
Kingston, Milton Keynes, UK, MK 10 OAG
Information: +44 [0] 1908 580400

In China:

Indium Corporation (Suzhou) Co., Ltd
No. 428 Xinglong Street
Suzhou Industrial Park
Suchun Industrial Square
Unit No. 14-C
Jiangsu Province, China 215126
Information: (86) 512-6283-4900

In Asia:

Indium Corporation of America
Asia-Pacific Operations-Singapore
29 Kian Teck Avenue
Singapore 628908
Information: +65 6268-8678

2. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY:

*Eye *Inhalation *Skin *Ingestion NTP IARC OSHA *Not Listed

Carcinogen listed in

GHS:



Symbol: Warning
 Hazard statement(s)

- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H336 May cause drowsiness or dizziness
- H402 Harmful to aquatic life

Precautionary statement(s)

- P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking
- P233 Keep container tightly closed
- P240 Ground/Bond container and receiving equipment
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P270 Do not eat, drink or smoke when using this product
- P273 Avoid release to the environment
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P362 +P364 Take off contaminated clothing and wash before reuse
- P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell
- P302 +P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification:

- Flammable liquids- Category 2
- Acute oral toxicity- Category 4
- Acute dermal toxicity- Category 4
- Serious eye irritation- Category 1
- Acute toxicity, inhalation- Category 4
- Specific target organ toxicity- single exposure – Category 3- central nervous system
- Acute aquatic – Category 3

POTENTIAL HEALTH EFFECTS:

- Eye Contact:** Vapors may be irritating, liquid may damage eye tissue.
- Ingestion:** May result in gastric disturbances such as nausea and vomiting. May be harmful.
- Inhalation:** May cause throat irritation, headache or dizziness. May be harmful.
- Skin Contact:** May cause irritation or defatting of the skin with irritation, dryness and cracking.

Chronic: Not established.

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.



WARNING: This product can expose you to chemicals including [propylene oxide] which is known to the State of California to cause cancer, and [ethyl alcohol] which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	% wt	CAS Registry #	PEL mg/m ³	TLV-TWA mg/m ³	TLV-STEL mg/m ³
WATER	10-15	7732-18-5 (US)	N.E.	N.E.	N.E.
PROPRIETARY	20-35	-	N.E.	N.E.	N.E.
CARBOXYLIC ACID	5-10	77-92-9	N.E.	N.E.	N.E.
MIXTURE:					
ETHYL ALCOHOL	50-55	64-17-5(US)	-	1884	-
		(EU)	-	1920	-
and		(Singapore)	1880	-	-
		(Mexico)	-	1900	-
ISOPROPYL ALCOHOL		67-63-0/200-661-7			
		(US)	980	983	1230
		(EU)	N.E.	999	1250
		(Canada)	N.E.	983	1228
		(Singapore)	983	-	1230
		(Mexico)	-	980	1225
		(China)	-	350	700

N.E. = Not established

4. FIRST AID MEASURES

- Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.
- Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.
- Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
- Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

5. FIRE FIGHTING MEASURES

Flash Point:	20C(68F)	Method:	TCC
Auto-ignition Temperature:	Not available		
Flammable Limits:	Upper limit 33. Lower limit 3.3.		
Extinguishing Media:	Use extinguishers appropriate for the surrounding fire conditions: large fires use alcohol resistant form/water to cool containers/ small fires use dry chemicals/ CO2, water spray or alcohol resistant form.		
Special Fire Fighting Procedures:	Standard fire - fighting equipment: clothing and SCBA. Alcohol vapors are heavier than air and may travel a considerable distance to a source of ignition and flash back.		

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Do not allow material to enter sewer system or waterway. Wear personal protective equipment, such as gloves and depending on the quantity a respirator with organic cartridges may be required. Clean up by absorption. Eliminate sources of ignition. Keep unnecessary personnel away. Put clean-up materials in a properly labeled metal drum. Dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations.

7. HANDLING AND STORAGE

Handling Precautions:	Keep containers tightly closed when not in use. Use care to avoid spills. Wear personal protective equipment. Ground containers and dispensing equipment. Keep away from sources of ignition.
Storage Precautions:	Store product in tightly capped original containers in a cool, dry area away from sources of ignition. Refer to product label for specific storage temperature requirements. Rotate stock to ensure use before expiration date on the label.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Face velocity >2.1 cubic feet/minute in confined areas. Exhaust ventilation is required to keep exposure limits as low as possible.

Personal protection:

Eyes:	Chemical safety glasses/goggles. Face shield for splash hazards.
Respirator:	An approved or compliant marked air-purifying respirator with a fume/organic chemical cartridge is recommended where airborne concentrations are expected to be elevated or when working in confined areas.
Skin:	Compatible chemical resistant gloves (rubber/neoprene or vinyl). Latex not recommended.
Other:	Lab coat, eyewash fountain in work area. Avoid the use of contact lenses in high fume areas.
Work/Hygienic Practices:	Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid, clear	Boiling Point:	78°C (173°F)
Odor:	Alcoholic	Melting Point:	Not applicable
Specific Gravity:	0.963 +/- 0.005	pH:	4.98
Vapor Pressure:	40 mm HG @19°C	Solubility in Water:	Miscible
Vapor Density:	1.59	Evaporation Rate:	2.64
Volatile by Volume:	65%		

10. STABILITY AND REACTIVITY

General:	Stable.
Conditions to Avoid:	Direct heat, open flames and storage in aluminum.
Incompatible Materials:	phosphorus, halogens, anhydrides, monomers, aldehydes, trichlorides
Hazardous Decomposition / Combustion:	Carbon dioxide/carbon monoxide.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity:	NTP: No		
	OSHA: No		
	IARC: No		
LD50:	Not established.	LC50:	Not established.

12. ECOLOGICAL INFORMATION

Product not tested. Contains a substance that is harmful to aquatic life.

13. DISPOSAL CONSIDERATION

Waste Disposal Method:	Dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations. Flammable liquid.
-------------------------------	---

14. TRANSPORT INFORMATION

Transport in accordance with applicable international regulations and requirements.
 Shipping: UN 1987, Alcohols N.O.S. (ethyl alcohol, isopropanol), 3, PG II
 North American Emergency Guide Book – Guide #127



UN 1987 Flammable Liquid

15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).



Canadian WHMIS: Class B Flammable Division 2
D2B Toxic Material Causing Other Toxic Effects (eye irritation in animals).

This product has been classified in accordance with the guidelines set by the Dept. of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products

GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)

Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

This product has been classified using the Chinese Occupational Limit for Hazardous Agents in the Workplace, GBZ2-2007

This product has been classified in accordance with the Mexican regulations: NOM – 018-STPS-2015 and NOM-010-STPS-2014.



WARNING: This product can expose you to chemicals including [propylene oxide] which is known to the State of California to cause cancer, and [ethyl alcohol] which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SARA 313 Listing - 40 CFR 372.65:

Ethyl Alcohol

All ingredients are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

HMIS Hazard Rating:	Health:	1
	Fire:	3
	Reactivity:	0
Revised Date:	2 MAY 2018	
Prepared by:	Nancy Swarts, Indium Corporation of America	
Approved by:	Nancy Swarts, Indium Corporation of America	

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.