



SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: COPPER SULPHATE (BLUE)

SDS Number: SDS-HG4066

Revised Date: 4 OCTOBER 2018

Product Use: Industrial use - Copper sulphate solution

MANUFACTURER:

In America:

The Indium Corporation of America®.

34 Robinson Rd., Clinton, NY 13323

Information: (315) 853-4900

nswarts@indium.com

In Europe:

The Indium Corporation of America® (European Operations)

7 Newmarket Ct

Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

In Asia:

Indium Corporation of America

Asia-Pacific Operations-Singapore

29 Kian Teck Avenue

Singapore 628908

Information: +65 6268-8678

EMERGENCY PHONE:

CHEMTREC 24 hrs.

USA: 1 (800) 424-9300

Outside USA: +1 (703) 527-3887

In China: Emergency 86+ 4008417580

In China:

Indium Corporation (Suzhou), Co., Ltd.

No. 428 Xinglong Street

Suzhou Industrial Park

Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126

Information: (86) 512-6283-4900

<http://www.indium.com>

2. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY:

Eye
 Inhalation
 Skin
 Ingestion
 NTP
 IARC
 OSHA
Not Listed

Carcinogen listed in



Signal Word: Danger

Hazard statement(s):

H314 Causes severe skin burns and eye damage
 H318 Causes serious eye damage
 H335 May cause respiratory irritation
 H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s):

P233 Keep container tightly closed
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P270 Do not eat, drink or smoke when using this product
 P273 Avoid release to the environment
 P280 Wear protective gloves/protective clothing/eye protection/face protection
 P362 +P364 Take off contaminated clothing and wash before reuse
 P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell
 P302 +P352 IF ON SKIN: Wash with plenty of soap and water
 P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
 P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification:

Skin corrosion –Category 1B
 Serious eye damage-Category 1
 Specific target organ toxicity-single exposure-Category 3, respiratory system
 Acute aquatic toxicity-Category 1
 Chronic aquatic toxicity-Category 1

POTENTIAL HEALTH EFFECTS:

Eye Contact: Vapors may be irritating, liquid may damage eye tissue and cause burns.

Ingestion: May be harmful if swallowed, may cause burns.

Inhalation: May cause irritation or burns.

Skin Contact: May cause irritation.

Chronic: Not established. Copper sulfate target organ effect: liver, kidney, blood

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: DO NOT allow corrosive material to enter sewer system or waterway. Wear personal protective equipment, such as gloves and depending on the quantity a respirator with acid vapor cartridges may be required. Clean up by absorption or neutralization. Keep unnecessary personnel away. Put clean-up materials in a properly labeled plastic/poly drum. Dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations.

7. HANDLING AND STORAGE

Handling Precautions: Keep containers tightly closed when not in use. Use care to avoid spills. Wear personal protective equipment. Use only in a well ventilated area.

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Refer to product label for specific storage temperature requirements. Rotate stock to ensure use before expiration date on the label.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Face velocity >2.1 cubic feet/minute in confined areas. Exhaust ventilation is recommended to keep exposure limits as low as possible. Use ventilation.

Personal protection:

Eyes: Chemical safety glasses/goggles. Face shield for splash hazards.

Respirator: An authority approved or compliant marked air-purifying respirator with an acid vapor chemical cartridge is recommended where airborne concentrations are expected to be elevated.

Skin: Compatible chemical acid resistant gloves for handling acids.

Other: Lab coat, eyewash fountain/shower unit in work area. Avoid the use of contact lenses.

Work/Hygienic Practices: Maintain good housekeeping. Clean up spills immediately.

Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue	Boiling Point:	212°F
Odor:	Sharp pungent	Melting Point:	N/A
Specific Gravity:	1.150 @60F	pH:	1.44 Corrosive
Vapor Pressure:	ND	Solubility in Water:	Soluble
Vapor Density:	ND	Evaporation Rate:	<1
Volatile by Volume:	80%		

10. STABILITY AND REACTIVITY

General: Stable.

Conditions to Avoid: Direct heat, open flames.

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition / Combustion: Hydrogen chloride

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP: No
OSHA: No
IARC: No

LD50: Not established. **LC50:** Not established.

Copper sulphate:
LD50 Oral Rat rat – 300 mg/kg
LD50 Intraperitoneal – rat – 20mg/kg
LD50 Subcutaneous – rat – 43 mg/kg
Genotoxicity in vitro – rat – liver DNA damage

Signs and Symptoms of Exposure

Copper poisoning (systemic) may include: capillary damage, headache, cold sweat, weak pulse and kidney and liver damage. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and kidneys defects and copper deposition in the cornea as exemplified by humans with Wilson's disease. To the best of our knowledge the chemical, physical and toxicological properties of copper have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Product not tested.

Copper sulphate: toxicity to fish – mortality LC50 – other fish – 1.0-2.5 mg/l – 96h

Copper sulphate: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATION

Waste Disposal Method: Dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

14. TRANSPORT INFORMATION

Transport in accordance with applicable international regulations and requirements.

UN3264, Corrosive Liquid, acidic, inorganic, N.O.S., 8, PG III (hydrochloric acid, copper sulfate)



North American Emergency Guide Book – Guide # 154

Reportable quantity Copper Sulfate: 10 lbs. If shipping amounts exceed this RQ must be added to in front of the name.

Note product contains 20% copper sulfate. Calculate shipping quantity to determine proper name.

IMDG:

RQ, UN3264, Corrosive Liquid, acidic, inorganic, N.O.S., 8, PG III (hydrochloric acid, copper sulfate) (Marine Pollutant) (Copper Sulfate)

Copper Sulfate is listed as a Severe Marine Pollutant. Follow applicable shipping rules and markings.



15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).



Canadian WHMIS: Class E Corrosive

This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with the Mexican guidelines, NOM-018-STPS-2015 and NOM-010-STPS-2014.

In China:

Decree No. 591: Regulations on the Control over Safety of Hazardous Chemicals

GB 30000.2-29-2013, Rules for classification and labeling of chemicals. (GHS)

GB/T 16483-2008, GB/T 17517-2013

This product has been classified using the Chinese Occupational Limit for Hazardous Agents in the Workplace, GBZ2-2007.

Malaysia:

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS). (GHS)

SARA 313 Listing - 40 CFR 372.65: Copper CAS#7440-50-8

All ingredients are listed on the EPA TSCA Inventory.

Superfund Reportable Quantity (RQ): 10lbs Copper Sulfate (CuSO₄)

16. OTHER INFORMATION

HMIS Hazard Rating: **Health:** 2
 Fire: 1
 Reactivity: 0

Revised Date: 4 OCTOBER 2018

Prepared by: Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.