

# INDIUM CORPORATION OF AMERICA ®\EUROPE®\ASIA-PACIFIC® INDIUM CORPORATION (SUZHOU) ®

# SAFETY DATA SHEET

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: LT-918

SDS Number: SDS-5208 Revised Date: 27 FEBRUARY 2014

Product Use: Industrial Use - Solar Metallization Paste

#### **MANUFACTURER:**

In America:

The Indium Corporation of America 34 Robinson Rd.., Clinton, NY 13323

Information: (315) 853-4900 Contact: nswarts@indium.com

In Europe:

Indium Corporation of Europe

7 Newmarket Ct.

Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

In Asia:

Indium Corporation of America Asia-Pacific Operations-Singapore

29 Kian Teck Avenue Singapore 628908

Information: +65 6268-8678

**EMERGENCY PHONE:** 

CHEMTREC 24 hrs. USA: 1 (800) 424-9300

Outside USA: +1 (703) 527-3887

In China:

Indium Corporation (Suzhou), Co. Ltd.

No. 428 Xinglong Street Suzhou Industrial Park Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126 Information: (86) 512-6283-4900

#### 2. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY:

√Eye √Inhalation √Skin √Ingestion NTP IARC OSHA √Not Listed

Carcinogen listed in

GHS:



Signal Word: Warning Hazard statement(s)

H320 Causes eye irritation

Precautionary statement(s)

P233 Keep container tightly closed

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 + P351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification:

Eye irritation- Category 2B

#### **POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** Causes eye irritation.

**Ingestion:** May cause irritation. May be harmful if swallowed.

**Inhalation:** Vapors or fumes from this material may be harmful. May cause irritation.

**Skin Contact:** May cause skin irritation.

Chronic:

Silver: Chronic skin contact or ingestion of silver dust, salts, or fume can result in a condition

known as Argyria, a condition with bluish pigmentation of the skin and eyes.

WARNING: This product contains a chemical known to the State of California to cause cancer and/or

birth defects (or other reproductive harm). (Trace levels of lead)

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its

products for human consumption.

3. COMPOSITION / INFORMATION ON INGREDIENTS						
Components	% wt	CAS Registry #/EINECS#	<b>PEL</b> mg/m³	<b>TLV-TWA</b> mg/m³	TLV-STEL mg/m³	
SILVER (flake)	75-84	7440-22-4/231-131-3				
		(US)	0.01	0.1	-	
		(EU)	-	0.1	-	
		(Canada)	-	0.1	0.3	
		(Singapore)	0.1	-	-	
		(Mexico)	0.1	-	-	
POLYGLYCOL ETHER	10– 19	9038-95-3	N.E.	N.E.	N.E.	
PROPRIETARY POLYMER RESIN	3-6	-	N.E.	N.E.	N.E.	
Product does not contain any EU Substances of Very High Concern (SVHC)						
Symbol: Xi N.E. = Not established	Ris	k Phrases: R36/37/38 R4	12/43			

Complies with RoHS 2. RoHS = Restriction of Hazardous Substances (review for any applicable exemptions that may apply) (2011/65/EU)

#### 4. FIRST AID MEASURES

**Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical

attention if irritation persists.

**Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give

anything by mouth to an unconscious person. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel.

Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before

reuse. If irritation persists, obtain medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash Point: 99C (210F) Method: Not available

Auto-ignition Temperature: Not established.

Flammable Limits: Limits not established.

**Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions.

**Special Fire Fighting** 

Firefighters must wear NIOSH approved self-contained breathing apparatus and full

**Procedures:** protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Using a spatula, scoop up paste and place in a plastic or glass jar and tightly

cap. Remove traces of paste residue using cloth rags or paper towels moistened with ethyl or isopropyl alcohol. Dispose contaminated cloth rags or paper towels following all Federal, State and Local regulations. In the EU refer to the Special Waste

Regulations. May have metal reclaim value.

#### 7. HANDLING AND STORAGE

**Handling** Keep containers tightly closed when not in use. Use care to avoid spills. Use only with

**Precautions:** production equipment specifically designed for the application. Wear appropriate

personal protective equipment when working or handling solder paste. Always thoroughly wash your hands after handling this product. DO NOT touch or rub eyes until hands are washed. Product contains silver flake and aluminum powder mixed with chemicals.

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Refer to product

label for specific storage temperature requirements. Rotate stock to ensure use before

expiration date on the label.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Control concentration of all components so that the exposure levels are not exceeded. Utilize ventilation exhaust to keep exposures to as low as possible and protect the user.

## Personal protection:

**Eyes:** Chemical safety glasses/goggles. Face shield for splash hazards.

**Respirator:** An authority approved or compliant marked air-purifying respirator with a fume/organic chemical

cartridge is recommended under certain circumstances where airborne concentrations are expected

to be elevated or exceed exposure limits.

**Skin:** Compatible chemical resistant gloves.

**Other:** Lab coat, eyewash fountain in work area. Avoid the use of contact lenses in high fume areas.

Work/Hygienic Maintain good housekeeping. Clean up spills immediately.

**Practices:** Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area.

Wash hands thoroughly with soap and water immediately upon leaving the work area.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Grey colored pasteBoiling Point:Not determined.Odor:Mild characteristic odor.Melting Point:Not applicableSpecific Gravity:3.7 g/ccpH:Not determined

Vapor Pressure: Not applicable. Solubility in Water: Insoluble (paste)

Vapor Density: (air=1) Not applicable.

#### 10. STABILITY AND REACTIVITY

General: Stable.

Conditions to Avoid: Not established.

**Incompatible Materials:** Avoid contact with acids, bases or oxidizing agents.

Hazardous Decomposition / Harmful organic fumes and toxic oxide fumes may form at elevated

**Combustion:** temperatures.

Hazardous Polymerization: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP: No

OSHA: No IARC: No

**LD50:** Not established. **LC50:** Not established.

## 12. ECOLOGICAL INFORMATION

No information available. Product not tested.

Contains a chemical that is harmful to aquatic life.

## 13. DISPOSAL CONSIDERATION

Waste Disposal Method: Scrap metal alloy usually has value. Contact a commercial reclaimer for

recycling. Otherwise, dispose of in accordance with all Federal, State and Local

environmental regulations.

#### 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements. Not regulated (US Department of Transportation).

Non - hazardous under all shipping regulations. (ground/IATA/IMDG)

## 15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with the Mexican regulations, NOM-018-STPS-2000 and NOM-010-STPS-1999.

This product has been classified under the Chinese Occupational Exposure Limit for hazardous Agents in the Workplace, GBZ2-2002.

California PROP 65: WARNING: California Safe Drinking Water Regulation

This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (Trace levels of lead)

SARA 313 Listing - 40 CFR 372.65 Silver CAS# 7440-22-4 Polyglycol ether

RoHS = Restriction of Hazardous Substances EU directive 2002/95/EC

All ingredients are listed on the US EPA TSCA Inventory.

Silver listed on the Japanese Class I Designated Chemical Substances.

EC Classification, Packaging and Labeling Requirements:

Symbol and Hazard Classification of Product

Χi

#### **Risk Phrases:**

R36/37/38 Irritating to eyes, respiratory system and skin

#### **Safety Phrases:**

S20/21 When using do not eat, drink or smoke

S23 Do not breathe fumes

S24/25 Avoid contact with skin and eyes

S28 After contact with skin wash immediately with plenty of soap and water

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

S7 Keep container tightly closed

# **16. OTHER INFORMATION**

**HMIS Hazard Rating:** Health: 1

> Fire: 0 0

Reactivity:

**Revised Date:** 27 FEBRUARY 2015

Nancy Swarts, Indium Corporation of America Prepared by: Approved by: Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.