



**INDIUM CORPORATION OF AMERICA®\EUROPE®\ASIA-PACIFIC®  
INDIUM CORPORATION (SUZHOU)®**

## **SAFETY DATA SHEET**

### **1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Identifier:** SILVER AND ANTIMONY MIXTURE

**SDS Number:** SDS-6276

**Revised Date:** 30 AUGUST 2016

**Product Use:** INDUSTRIAL USE – Metal alloy (mixture) (silver/antimony) Use is strictly based on the individual customer needs and requirements.

#### **MANUFACTURER:**

##### **In America:**

The Indium Corporation of America  
1676 Lincoln Ave., Utica NY 13502  
Information: (315) 853-4900  
nswarts@indium.com

##### **EMERGENCY PHONE:**

**CHEMTREC 24 hrs.**  
**USA: 1 (800) 424-9300**  
**Outside USA: +1 (703) 527-3887**

##### **In Europe:**

Indium Corporation of Europe  
7 Newmarket Ct.  
Kingston, Milton Keynes, UK, MK 10 OAG  
Information: +44 [0] 1908 580400

##### **In China:**

Indium Corporation (Suzhou) Co., Ltd.  
No. 428 Xinglong Street  
Suzhou Industrial Park  
Suchun Industrial Square  
Unit No. 14-C  
Jiangsu Province, China 215126  
Information: (86) 512-6283-4900

##### **In Asia:**

Indium Corporation of America  
Asia-Pacific Operations-Singapore  
29 Kian Teck Avenue  
Singapore 628908  
Information: +65 6268-8678

**2. HAZARDS IDENTIFICATION****PRIMARY ROUTES OF ENTRY:**

\*Eye \*Inhalation \*Skin \*Ingestion

**CARCINOGEN LISTED IN:**

NTP IARC OSHA \*Not Listed

GHS:

Precautionary Statement(s)

P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P270	Do not eat, drink or smoke when using this product
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P362	Take off contaminated clothing and wash before reuse
P301 + P314	IF SWALLOWED: Get Medical advice/attention if you feel unwell
P302 +P352	IF ON SKIN: Wash with plenty of soap and water
P304 + 341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + 351	IF IN EYES: Rinse continuously with water for several minutes (15 mins)

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** Severe damage may result from hot molten metal being splashed into the eyes. Wear proper protection when working with molten metal. May cause irritation.

**Ingestion:** Ingestion may be harmful. May cause irritation.

**Inhalation:** Inhalation of vapors may cause irritation.

**Skin Contact:** No hazard.

Solid metal pieces do not pose any hazard when handled.

**Chronic:**

SILVER: Chronic skin contact or ingestion of silver dust, salts, or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

**WARNING:**

**This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (trace levels of lead). This is applicable within the State of California. This statement is not used outside of California.**

**NOTE:**

The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Components	% wt	CAS Registry #/EINECS#	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
SILVER	*	7440-22-4/231-131-3  (US)	0.01	0.1	-

	(EU)	-	0.1	-
	(Canada)	-	0.1	0.3
	(Mexico)	0.1	-	-
	(Singapore)	0.1	-	-
<b>ANTIMONY</b>	*	7440-36-0/231-146-5		
	(US)	0.5	0.5	-
	(EU)	0.5	-	-
	(Canada)	-	0.5	1.5
	(Mexico)	N.E.	0.5	-
	(Singapore)	0.5	-	-
	(China)	-	0.5	-

N.E. = Not established                      \* SEE ALLOY TABLE

**ALLOY TABLE**

SILVER Ag	ANTIMONY	Specific gravity	RoHS 2 Compliance
56	44	8.35	Yes

**4. FIRST AID MEASURES**

- Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.
- Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately. Copper is toxic if swallowed.
- Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
- Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

## 5. FIRE FIGHTING MEASURES

**Flash Point:** Not established.      **Method:** Not established.

**Auto-ignition Temperature:** Not established.

**Flammable Limits:** Limits not established. Massive metal is not flammable.

**Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions. Do Not Direct Water at or onto the heated metal.

**Special Fire Fighting Procedures:** Firefighters must wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Thermal decomposition can lead to release of irritating gases and vapors.

## 6. ACCIDENTAL RELEASE MEASURES

**Spill or Leak Procedures:** Solid metal should be clean up without generating dust. Do not sweep. Dispose of following all Federal, State and Local regulations. Metal may have reclaim value. Wear personal protective equipment and avoid breathing any dust or fume. Do not discharge to any drains.

## 7. HANDLING AND STORAGE

### Handling Precautions:

User should review their own workplace situations and uses and determine the best guidelines for handling. PPE should be assessed based on the particular use or uses. Melting or grinding of mixed alloys should be reviewed. Ventilation is recommended when there is a potential for work place exposures to metal fume or particulate. Permissible exposure levels in high fume or particulate tasks should be assessed so that they are not exceeded. Ensure engineering controls are used to protect the worker.

Safety glasses or goggles shall be worn. A face shield should be added when handling metal where there is a potential for splash hazards. Additional personal protective equipment should be used when handling molten metals: face shield, hot gloves for handling hot metals, sleeve protector for splash hazards if handling large volumes where there is a potential for splash and burns from hot metal. Additional protection includes apron.

Keep unauthorized personnel away when handling molten metals.

Exhaust ventilation should be provided for any metal fume when heating is being conducted.

Store materials in the proper container. Hot metals should be placed into a compatible container.

**Storage Precautions:** Store product in a cool, dry area away from incompatible materials (metals and moisture). Close container when not in use, where applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Exhaust ventilation is recommended to control any air contaminants and keep exposures as low as possible.

### Personal protection:

**Eyes:** Chemical safety glasses/goggles and face shield with molten metal.

<b>Respirator:</b>	An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated.
<b>Skin:</b>	Gloves-leather or impervious (vinyl) type. Heat resistant gloves if handling hot metal. Safety type boots. Personal protective equipment is recommended when working with molten metal to avoid burns.
<b>Other:</b>	Lab coat, safety shower and eyewash fountain in work area. Avoid the use of contact lenses.
<b>Work/Hygienic Practices:</b>	Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Solid Metal Form	<b>Melting Point:</b>	No information available
<b>Boiling Point:</b>	No information available	<b>Solubility in Water:</b>	Insoluble
<b>Odor:</b>	Odorless	<b>Molecular Weight:</b>	Not available
<b>Vapor Pressure:</b>	Not available	<b>Flash Point:</b>	Not flammable
<b>Vapor Density:</b>	Not available	<b>Auto-ignition Temp:</b>	Not applicable
<b>Specific Gravity:</b>	See alloy table	<b>Decomposition temp:</b>	Not available
<b>Evaporation rate:</b>	Not applicable		
<b>Flammability:</b>	Not applicable		
<b>Viscosity:</b>	Consult product data sheet		

## 10. STABILITY AND REACTIVITY

<b>General:</b>	Stable.
<b>Conditions to Avoid:</b>	No data available
<b>Incompatible Materials:</b>	strong acids/strong oxidizing agents/halogens
<b>Hazardous Decomposition / Combustion:</b>	oxides
<b>Hazardous Polymerization:</b>	Will not occur.

## 11. TOXICOLOGICAL INFORMATION

<b>Carcinogenicity: National Toxicity Program (NTP):</b>	No
<b>Occupational Safety &amp; Health Administration (OSHA):</b>	No
<b>U.N. International Agency for Research on Cancer (IARC):</b>	No

RTECS: Silver: VW3500000  
Product mixture not tested.

## 12. ECOLOGICAL INFORMATION

Product not tested.

## 13. DISPOSAL CONSIDERATION

**Waste Disposal Method:** Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with all Federal, State and Local environmental regulations.

## 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.  
Non-hazardous under all shipping modes.

UN- none

Marine Pollutant: No

## 15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200).

California PROP 65 (Safe Drinking Water Standard): WARNING: This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (trace lead). Applicable within the state.

SARA 313 Listing - 40 CFR 372.65: Silver, Antimony

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: none

This product has been classified in accordance with the guidelines set by the Dept. of Industrial Health of the Republic of Singapore.

All ingredients are listed on the EPA TSCA Inventory, Philippines Inventory, Japan Existing and New Chemical Substances, China Inventory of Existing Chemical Substances, Canadian Domestic Substances List, Korean Existing Chemical Inventory.

This product has been classified in accordance with Mexican regulations NOM-018-STPS-2015 and NOM-010-STPS-2014

Malaysia:

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products  
GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)  
Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

## 16. OTHER INFORMATION

<b>HMIS Hazard Rating:</b>	<b>Health:</b>	1
	<b>Fire:</b>	0
	<b>Physical Hazard:</b>	0

**Revised Date:** 30 AUGUST 2016

**Prepared by:** Nancy Swarts, Indium Corporation of America

**Approved by:** Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container. The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.