

INDIUM CORPORATION OF AMERICA ®\EUROPE®\ASIA-PACIFIC® INDIUM CORPORATION (SUZHOU) ®

SAFETY DATA SHEET

This safety data sheet represents a family grouping of all metal mixes that contain indium metal. A table is provided at the end that lists all metal groupings.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: INDALLOY CONTAINING INDIUM WITH TIN, LEAD, SILVER, COPPER

SDS Number: **SDS-IN 009** Revised Date: 12 MAY 2017

INDUSTRIAL USE - METAL ALLOY CONSISTING OF INDIUM MIXED WITH ONLY TIN **Product Use:** AND/OR, LEAD AND/OR SILVER AND/OR COPPER. SEE TABLE FOR VARIOUS METAL MIX PERCENTAGES, CAN BE SOLID METAL OR POWDER FORM.

MANUFACTURER:

In America:

The Indium Corporation of America 34 Robinson Rd., Clinton, New York 13323 Information: (315) 853-4900

nswarts@indium.com

In Europe:

Indium Corporation of Europe 7 Newmarket Ct. Kingston, Milton Keynes, UK, MK 10 OAG

Information: +44 [0] 1908 580400

EMERGENCY PHONE: CHEMTREC 24 hrs.

USA: 1 (800) 424-9300

Outside USA: +1 (703) 527-3887

In China:

Indium Corporation (Suzhou), Co. Ltd.

No. 428 Xinglong Street Suzhou Industrial Park Suchun Industrial Square

Unit No. 14-C

Jiangsu Province, China 215126 Information: (86) 512-6283-4900

In Asia:

Indium Corporation of America Asia-Pacific Operations-Singapore 29 Kian Teck Avenue

Singapore 628908

Information: +65 6268-8678

2. HAZARDS IDENTIFICATION







lead containing products

Signal Word: Warning Hazard statement(s)

H303 May be harmful if swallowed (lead)
 H319 Causes serious eye irritation
 H335 May cause respiratory irritation
 H351 Suspected of causing cancer (lead)

H361 Suspected of damaging fertility or the unborn child (applicable to lead containing product)

H373 May cause damage to organs through prolonged or repeated exposure (applicable to lead containing

product)

H410 Very toxic to aquatic life with long lasting harmful effects(lead)

EUH201A Warning! Contains lead (applicable only to the products listed that contain lead) Review listing.

Precautionary statement(s)

P233 Keep container tightly closed

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 + P351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

PRIMARY ROUTES OF ENTRY:

CARCINOGEN LISTED IN:

⊕Eye ⊕Inhalation ⊕Skin ⊕Ingestion NTP IARC OSHA ⊕Not Listed See Section 11

POTENTIAL HEALTH EFFECTS:

Eye Contact: Contact with powered metal alloy or fume from molten metal may cause irritation. Severe eye damage may result from hot molten metal being splashed into the eyes. Wear safety glasses and face shield when working with molten metal.

Ingestion: May cause irritation. May be harmful.

Inhalation: Inhalation of fume or dust may cause local irritation to the respiratory system. Inhalation of dust or fume may be harmful. Inhalation of indium may cause additional respiratory issues.

Skin Contact: Normal handling should not cause any adverse health effects. May cause skin irritation. Hot molten metal may cause burns to the skin. Wear protective equipment when handling molten metal.

Chronic:

TIN: Has been shown to increase incidence of sarcoma in animal tests.

<u>LEAD:</u> Prolonged exposure to vapors or fumes at higher temperatures may cause respiratory irritation and systematic lead poisoning. Symptoms of lead poisoning include headache, nausea, abdominal pain, muscle and joint pain and damage to the nervous system, blood system and kidneys.

<u>SILVER</u>: Chronic skin contact or ingestion of silver dusts, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

INDIUM: May cause damage to respiratory or kidney system. May be harmful if inhaled.

<u>COPPER:</u> Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever, dry throat, cough weakness, lassitude); metallic or sweet taste; discoloration of skin and hair. Tissue damage of mucous membranes may follow chronic dust exposure

WARNING: Applicable only in the State of California: This product contains chemical(s) known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (lead)

NOTE: The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

WARNING: This product may contain lead. Lead may be harmful to your health. US Federal law prohibits the use of leaded solders in making joints or fittings in any private or public water supply system. Keep out of the reach of children. Not intended for household use.

3. COMPOSITION / INFORMATION ON INGREDIENTS Components CAS Registry #/EINECS **PEL TLV-TWA TLV-STEL** % wt mg/m³ mg/m³ mg/m³ TIN 7440-31-5/231-141-8 (US) 2 2 2 4 (EU) 2 (Canada) 4 2 (Singapore) **LEAD** 7439-92-1/231-100-4 (US) 0.05 0.05 (EU) 0.15 (Canada) 0.05 (Singapore) 0.15 (Mexico) 0.15 (China) 0.05(dust) 0.03(fume)

SDS -	IN	009
-------	----	-----

S - IN 009	INDALLOY C	ONTAINING INDIUM	<u>1 WITH TIN, LEAD OF</u>	R SILVER OR COPI
SILVER	* 7440-22-4/231-13	1-3		
	(US)	0.01	0.1	-
	(EU)	-	0.1	-
	(Canada)	-	0.1	0.3
	(Singapore)	0.1	-	-
	(Mexico)	-	0.1	-
INDIUM	* 7440-74-6/231-180-0			
	(US)	0.1	0.1	-
	(EU)	-	0.1	0.3
	(Canada)	-	0.1	0.3
	(Singapore)	0.1	-	-
	(Mexico)	-	0.1	0.3
	(China)	-	0.1	0.3
COPPER	* 7440-50-8/231-159-6			
	(US)	0.1 (fume)	0.2 (fume)	-
		1(dust)		
	(EU)	-	0.2 (fume)	-
	(Singapore)	0.2(fume)	1(dust)	-
	(Mexico)	-	0.2	2
	(Canada)	N.E.	0.2 (fume)	0.6 (fume)

N.E. = Not established

* SEE ALLOY TABLE END OF DOCUMENT

4. FIRST AID MEASURES

Eye Contact: Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion: If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

SDS - IN 009

5. FIRE FIGHTING MEASURES

Flash Point: Not established. Method: Not established.

Auto-ignition Temperature: Not established.

Flammable Limits: Limits not established. Massive metal is not flammable; however dust or powder may be flammable.

Extinguishing Media: Use extinguishers appropriate for the surrounding fire conditions.

Special Fire Fighting Procedures: Firefighters must wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Contain spill. If molten, cool to allow metal to solidify. If a solid metal, wear gloves, pick up and return to process. If dust, wear recommended personal protective equipment. DO NOT SWEEP. Use a vacuum, place in barrels and return to process if applicable. Otherwise, dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations. Metal may have reclaim value.

7. HANDLING AND STORAGE

Handling Precautions: Only dry metals should be added to molten bath. If working with molten metals, or exposed to fume or dust, use appropriate personal protective equipment.

Storage Precautions: Store product in a cool, dry area away from incompatible materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation is recommended to control any air contaminants. Control concentration of all components so that permissible exposure levels are not exceeded. Use ventilation when working with lead containing products.

Personal protection:

Eyes: Chemical safety glasses/goggles and face shield with molten metal.

Respirator: An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated. Review job task to determine type and level of protection needed.

Skin: Gloves-leather or impervious (vinyl) type. Heat resistant gloves if handling hot metal. Safety type boots. Personal protective equipment is recommended when working with molten metal to avoid burns.

Other: Lab coat, safety shower and eye-wash fountain in work area. Avoid the use of contact lenses in high fume/splash areas.

Work/Hygienic Practices: Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area. Use standard lead work practices as defined by regulations, if applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Silver gray solid metal **Boiling Point:** Not applicable. Odor: Odorless **Melting Point:** See Table **Specific Gravity:** See Table pH: Not applicable **Vapor Pressure:** Not applicable. Solubility in Water: Insoluble

Vapor Density: (air=1) Not applicable.

10. STABILITY AND REACTIVITY

General: Stable.

Conditions to Avoid: Not established.

Incompatible Materials: Avoid contact with mineral acids.

Hazardous Decomposition / Combustion Harmful organic fumes and toxic oxide fumes may form at elevated

temperatures.

Hazardous Polymerization: Will not occur.

11.TOXICOLOGICAL INFORMATION

Carcinogenicity: National Toxicity Program (NTP):

Occupational Safety & Health Administration (OSHA): No U.N. International Agency for Research on Cancer (IARC): Yes

Lead and Lead compounds are listed as possible carcinogens.

LD50: Not established **LC50:** Not established

Other: Chronic Toxicity: Lead can cause potential harm to the developing fetus.

RTECS#: OF7525000 (lead), NL1050000 (indium), VM3500000 (silver), XP7320000 (tin), GL5325000 (dusts)

GL7900000 (fume) (copper)

12. ECOLOGICAL INFORMATION

Mix not tested. Avoid release to environment.

13. DISPOSAL CONSIDERATION

Waste Disposal Method: Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements. Not regulated under US DOT (United States Department of Transportation).

Solid metal:

Not hazardous for shipping.

UN - NONE

MARINE POLLUTANT: NO

.....

<u>Lead containing Powder form: DOT/IATA/IMDG only if it meets or exceeds the reportable quantity (RQ), in a single package.</u>

Lead- RQ = 10 lbs

RQ = reportable quantity

RQ UN 3077, Environmentally Hazardous Substance, Solid, N.O.S., 9, PG III (lead)



MARINE POLLUTANT: NO

15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

California PROP 65 (Safe Drinking Water Standard): WARNING: This product contains chemical(s) known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (lead)

SARA 313 Listing - 40 CFR 372.65: Lead CAS# 7439-92-1 Silver CAS# 7440-22-4

All ingredients are listed on the EPA TSCA Inventory.

EPA Genetic Toxicology Program - Lead CAS# 7439-92-1

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: D2A - Materials Causing Other Toxic Effects - Very Toxic Material (Chronic) (lead), otherwise not classified.



All ingredients are listed on the Canadian Domestic Substance List.

This product has been classified in accordance with the guidelines set by the Dept. of Industrial Health of the Republic of Singapore.

Malavsia:

This product has been classified in accordance with: Malaysian – OCCUPATIONAL SAFETY AND HEALTH (CLASSIFICATION, LABELING AND SAFETY DATA SHEET OF HAZARDOUS CHEMICALS) REGULATION OCTOBER 2013 – (CLASS).

This product has been classified in accordance with the Mexican regulations NOM-018-STPS-2015 and NOM-010-STPD-2014.

Regulatory Information China:

GB/T 16483-2008, GB/T 17519-2013, Safety Data Sheets for Chemical Products GB 30000.2-29-2013, Rules for classification and labeling of chemicals (GHS)

Decree No. 591: Regulations on the Control Over Safety of Hazardous Chemicals.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2007.

Japan:

Poisonous and Deleterious Substance Control Law (PDSCL): No ingredients are listed.

Fire Service Law (FSL): Not regulated/not dangerous.

Industrial Safety and Health Law (ISHL): ingredients are listed

PRTR and Promotion of Chemical Management law, Class I Substance: Not applicable.

Waste Disposal and Public Cleaning Law: Specific Harmful Industrial Wastes: Some contents of the family grouping may contain lead within the solder paste. Review alloy table and product label/ purchased and used.

Class II Designated Chemical Substances: No ingredients are listed.

Ingredients are listed on the Japanese Inventory Chemical Substance List/Industrial Safety and Health Law Substance List.

Review SDS and apply regulations where applicable.

16. OTHER INFORMATION

HMIS Hazard Rating: Health: 2

Fire: 1 Physical Hazard: 0

Revised Date: 12 MAY 2017

Prepared by: Nancy Swarts, Indium Corporation of America
Approved by: Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container. The Indium Corporation does not recommend, manufacturer, market or endorse any of its products for human consumption.

Note: This SDS may be translated into an international language. If there is any misinterpretation or misunderstanding of any words or phrases that may occur within any translation the <u>ENGLISH</u> language shall always prevail.

ALLOY TABLE

INDALLOY METAL MIX	%INDIUM (In)	%TIN (Sn)	%LEAD (Pb)	%SILVER (Ag)	%COPPER (Cu)	RoHS 2*** Compliance	LIQUIDUS °C/°F	DENSITY (gm/cm³)
1	50	50	-	-	-	Υ	125C/257F	7.30
1E	52	48	1	-	-	Υ	118C/244F	7.30
2	80	-	15	5	-	N	154C/309F	7.85
3	90	-	-	10	-	Υ	237C/459F	7.54
5	25	37.5	37.5	-	-	N	181C/358F	8.42
6	4.76	-	92.86*	2.38	-	Υ	300C/572	11.03
7	50	-	50	-	-	N	210C/410F	8.86
9	12	70	18	-	-	N	167C/333F	7.79
10	25	-	75	-	-	N	260C/500F	9.97
11	5	-	95*	-	-	Y	313C/595F	11.06
12	5	-	90*	5	-	Υ	310C/590F	11.00
70	40	40	20	-	-	N	130C/266F	7.86
71	48	52	1	-	-	Υ	131C/268F	7.30
87	42	58	ı	-	-	Υ	145C/293F	7.30
150	19	-	81	-	-	Υ	275C/527F	10.27
164	5	-	92.5*	2.5	-	Υ	310C/590F	11.02
204	70	-	30	-	-	N	175C/347F	8.19
205	60	-	40	-	-	N	181C/358F	8.52
206	40	-	60	-	-	N	231C/448F	9.30
225	90	10	-	-	-	Υ	151C/304F	7.31
227	20	77.2	-	2.8	-	Υ	187C/369F	7.25
230	20	54	26	-	Doped with 0.12-0.16%	N	152C/306F	8.06
235	58	-	39	3	-	N	195C/383F	8.59

Page 10 of 12

SDS - IN 009	I	1		INDALLOY	CONTAINING IND	IUM WITH TIN, LI	EAD OR SILVER (OR COPPER
INDALLOY	%INDIUM	%TIN	%LEAD	%SILVER	%COPPER	RoHS 2***	LIQUIDUS	DENSITY
METAL	(ln)	(Sn)	(Pb)	(Ag)	(Cu)	Compliance	°C/°F	(gm/cm ³)
MIX								
237	2	3	93*	2	-	Υ	304C/579F	11.07
239	1	4	91*	4	-	Y	313C/595F	11.05
254	10	86.9	-	3.1	-	Y	205C/401F	7.37
290	97	-	-	3	-	Υ	143.3C/290F	7.38
532*	20	54	26	-	-	N	152C/306F	8.06
NON STANDARD					,	,		
NS	0.75	-	96.75*	2.5	-	Υ	-	11.28
NS	2	98	-	-	-	Υ	-	7.28
NS	10	-	90*	-	-	Υ	-	10.79
NS	14.5	-	-	61.5	24	Υ	-	9.50
NS	30	70	-	-	-	Υ	-	7.29
NS	35	65	-	-	-	Υ	-	7.29
NS	37	-	62.6	0.4	-	N	-	9.41
INDALLOY	%INDIUM	%TIN	%LEAD	%SILVER	%COPPER	RoHS 2***	LIQUIDUS	DENSIT
METAL	(ln)	(Sn)	(Pb)	(Ag)	(Cu)	Compliance	°C/°F	(gm/cm ³)
MIX								
NS	38	62	-	-	-	Υ	-	7.29
NS	20	40	40	-	-	N	-	8.50
NS	50	48	-	2	-	Y	-	7.34
NS	52.8	-	43.9	3.3	-	N	-	8.76
NS	59.65	-	-	-	40.35	Y	-	7.89
NS	65	30	-	4.5	0.5	Y	-	7.40
NS	65	32.5	-	2.5	-	Y	-	7.35
NS	65	35	-	-	-	Υ	-	7.29
NS	75	-	25	-	-	N	-	8.01

SDS - IN 009	INDALLOY CONTAINING INDIUM WITH TIN, LEAD OR SILVER OR COPP	

NS	75	25	-	-	-	Υ	-	7.29
NS	80	20	-	-	-	Υ	-	7.30
NS	95	5	-	1	1	Υ	-	7.30
NS	97	-	-	3	-	Υ	-	7.37
NS	98	-	-	2	-	Y	-	7.34
NS	98	2	-	-	-	Y	-	7.30

NS = Non Standard Alloy Mixture

^{***}RoHS 2 = Restriction on Hazardous Substances (review applicable exemptions that may apply). (2011/65/EU)