



SAFETY DATA SHEET

This safety data sheet covers metal mixtures using tin with no lead. See alloy table for all possible combinations.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier: TIN BASED ALLOYS (NO LEAD ADDED)

SDS Number: SDS-972

Revised Date: 14 MAY 2018

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use: Industrial Use (Mixture) – Metal Mixture for industrial applications. Review alloy table for exact product identification. Note: this SDS covers various metal mixtures with tin as the base material.

See alloy table for listing of products included under this SDS.

1.3 Details of the supplier of the safety data sheet

MANUFACTURER/SUPPLIER/IMPORTER:

In America:

The Indium Corporation of America®
34 Robinson Rd., Clinton, New York 13323
Technical & Safety Information: (315) 853-4900
Safety & SDS Information: nswarts@indium.com
Corporation web page: <http://www.indium.com>

In Europe:

Indium Corporation of America (European Operations)
7 Newmarket Ct.
Kingston, Milton Keynes, UK, MK 10 OAG
Information: (normal business hours) +44 [0] 1908 580400
EU Contact: aday@indium.com

In China:

Indium Corporation (Suzhou) Co., Ltd.
No. 428 Xinglong Street
Suzhou Industrial Park
Suchun Industrial Square
Unit No. 14-C
Jiangsu Province, China 215126
Information: (86) 512-6283-4900

In Asia:

The Indium Corporation of America
 Asia-Pacific Operations-Singapore
 29 Kian Teck Avenue
 Singapore 628908
 Information: +65 6268-8678

1.4 Emergency telephone number

FOR CHEMICAL EMERGENCY ONLY PHONE *:
CHEMTREC 24 hrs.
USA: 1 (800) 424-9300
Outside USA: +1 (703) 527-3887
*** Used only for spill/leak/fire/exposure/accident**

ALL OTHER INQUIRIES: TOLL FREE: +1-800-448-9240 Indium Corporation

SECTION 2. HAZARDS IDENTIFICATION**PRIMARY ROUTES OF ENTRY:**

Eye Inhalation Skin Ingestion NTP IARC OSHA Not Listed

Carcinogen listed in**2.1 Classification of the substance or mixture****2.2 Label elements**

Note: Some tin metal mixtures may not require a pictogram or include any hazard statements. Review product labeling.

Labeling according Regulation (EC) No 1272/2008

General GHS:



Signal Word: Warning

Hazard statement(s)

H335 May cause respiratory irritation (other metals, not tin)

Precautionary statement(s)

P233 Keep container tightly closed

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 +P364 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

2.3 OTHER HAZARDS:

POTENTIAL HEALTH EFFECTS:

Normal handling of solid metal does not pose a hazard.

Eye Contact: Contact with powdered metal alloy or fume from molten metal may cause serious irritation. Severe eye damage may result from hot molten metal being splashed into the eyes.

Ingestion: Ingestion of dust may cause irritation. Large amounts may be harmful.

Inhalation: Inhalation of fume or dust may cause local irritation to the respiratory system. Inhalation of fume or dust may be harmful. Inhalation of indium may cause additional respiratory issues.

Skin Contact: Normal handling of solid metal should not cause any adverse health effects. Hot molten metal may cause burns to the skin. Wear protective equipment when handling molten metal. Protect skin when grinding/cutting, may cause irritation. Antimony, zinc, cobalt, nickel have been known to cause dermatitis.

Chronic:

TIN: Has been shown to increase incidence of sarcoma in animal tests.

SILVER: Chronic skin contact or ingestion of silver dusts, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

INDIUM: May cause damage to respiratory or kidney system. May be harmful if inhaled.

COPPER: Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever, dry throat, cough weakness, lassitude); metallic or sweet taste; discoloration of skin and hair. Tissue damage of mucous membranes may follow chronic dust exposure

NICKEL: poison by ingestion. Can cause pulmonary asthma and hypersensitivity.

ALUMINUM: inhalation of finely divided powder has been reported to cause pulmonary fibrosis

COBALT: contact may cause allergic reaction

GERMANIUM: Liver or kidney injury may occur.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture:

Components	% wt	CAS Registry #/ EINECS#
TIN	*	7440-31-5/231-141-8
SILVER	*	7440-22-4/231-131-3
INDIUM	*	7440-74-6/231-180-0

COPPER	*	7440-50-8/231-159-6	
ANTIMONY	*	7440-36-0/231-146-5	
ZINC	*	7440-66-6/231-175-3	-
NICKEL	*	7440-02-0/231-111-4	
ALUMINUM	*	7429-90-5	
COBALT	*	7440-48-4	
TITANIUM	trace	7440-32-6	
MANGANESE	trace	7439-96-5	
CERIUM	trace	7440-45-1	
BISMUTH	*	7440-69-9/231-177-4	
GERMANIUM	*	7440-56-4/231-164-3	

* See Alloy Table at end of document for breakdown of percentages of alloy mixtures

Trace = small amounts of metal added to mixture. See alloy table.

<http://www.indium.com>

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

Eye Contact: Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion: If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

4.2 Most important symptoms and effect, both acute and delayed:

Exposure to metal fumes may cause irritation to the respiratory system. Long term exposure by inhalation to metal fumes may cause illness such as metal fume fever.

4.3 Indication of any immediate medical attention and special treatment needed:

No specific special treatment information is available on this mixture. Review data provided in this document to understand the hazards when working with the product. No other information is available at this time.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media: Use extinguishers appropriate for the surrounding fire conditions. Water, CO₂, foam media.

5.2 Special hazards arising from the substance or mixture:
May produce toxic fumes of carbon monoxide if burning or metal oxide fumes.

5.3 Advice for Firefighters Fire fighters must wear approved self-contained breathing apparatus and full protective clothing.

5.4 Further information
Material product is not flammable. Metal dust in air could pose a flammable issue. No other information is available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Keep away from the spill. Remove sources of ignition. Keep exhaust ventilation system running. In the event of a fire evacuate area.

For emergency responders:

Wear safety glasses, gloves when cleaning up any spill. Other equipment may be necessary based on the immediate area and other chemicals unrelated to the product that may be in use. Adequate ventilation should be available. Keep unnecessary personnel away from area during clean up. Solid metal can easily be cleaned up. Do not sweep. Vacuum solids and avoid creating dust in air.

6.2 Environmental Precautions: Metals are not generally suited for release to any body of water including drains. Avoid release to environment.

6.3 Methods and material for containment and cleaning up:

Spill or leak procedures: Solid metal can be picked up and placed into metal container. If hot allow to cool then place into metal container. Recycle metal.

6.4 Reference to other sections: See Section 8 for exposure levels.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions Keep containers tightly closed when not in use. Use care to avoid spills. Wear appropriate personal protective equipment when working or handling product. Always thoroughly wash your hands after handling this product. DO NOT touch or rub eyes until hands are washed. Do not eat, drink or smoke when handling this product. Utilize exhaust ventilation when heating product. Emissions contain metal fumes.

7.2 Conditions for Safe Storage, including any incompatibilities:

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Refer to product label and product data sheet for specific storage temperature requirements. Rotate stock to ensure use before expiration date.

7.3 Specific End Use(s): Soldering applications and other applications.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters:

			<u>TWA</u>	<u>STEL</u>
		<u>CAS#/EINECS#</u>	mg/m3	mg/m3
TIN	*	7440-31-5/231-141-8		
		(UK)	2	4
		(Belgium)	2	-
		(Germany)	2	-
		(Netherlands)	2	-
		(Spain)	2	-
		(Poland)	2	-
SILVER	*	7440-22-4/231-131-3		
		(UK)	0.1	0.3
		(Belgium)	0.1	-
		(France)	0.1	-
		(Germany)	0.1	-
		(Netherlands)	0.1	-
		(Poland)	0.05	-
COPPER	*	7440-50-8 /231-159-6		
		(UK)	0.2 (fume)	0.6(fume)
		(France)	2	0.2(fume)
		(Belgium)	1	-
			0.2(fume)	
		(Spain)	1	-
			0.2(fume)	
		(Portugal)	1	0.2(fume)
		(Netherlands)	0.1	-
		(Finland)	1	-
			0.1	
	(Denmark)	1	-	
		0.1		
	(Austria)	1	4	

			0.1(fume)	0.4
		(Switzerland)	0.1	0.2
		(Norway)	1	0.1
		(Ireland)	1	2
			0.2 (fume)	
		(Poland)	0.2	-
INDIUM	*	7440-74-6/231-180-0		
		(UK)	0.1	0.3
		(Belgium)	0.1	-
		(Spain)	0.1	-
		(Portugal)	0.1	-
		(Finland)	0.1	-
		(Denmark)	0.1	-
		(Austria)	0.1	0.2
		(Switzerland)	0.1	-
		(Norway)	0.1	-
		(Ireland)	0.1	0.3
ANTIMONY	*	7440-36-0/231-146-5		
		(UK)	0.5	-
		(France)	0.5	-
		(Belgium)	0.5	-
		(Spain)	0.5	-
		(Portugal)	0.5	-
		(The Netherlands)	0.5	-
		(Finland)	0.5	-
		(Denmark)	0.5	-
		(Austria)	0.5	5
		(Switzerland)	0.5	-
		(Poland)	0.5	-
		(Norway)	0.5	-
		(Ireland)	0.5	-
BISMUTH	*	7440-69-9/231-177-4	N.E	N.E.

ALUMINIUM	*	7429-90-5/231-072-3		
		(UK)	10	30
		(France)	10(metal)	-
		(Belgium)	1	-
		(Spain)	10	-
		(Germany)	4(dust, inhalable) 1.5 (dust, respirable)	-
		(Portugal)	10	-
		(Austria)	10	20
		(Denmark)	5	-
		(Switzerland)	3	-
		(Poland)	2.5	-
		(Norway)	5	-
		(Bulgaria)	10	-
		(Ireland)	10(inhalable dust) 4(respirable dust)	- -
		(Czech Republic)	10	-
		(Estonia)	10(total dust) 4(respirable dust)	- -
		(Greece)	10	-
		(Hungary)	6(respirable dust)	-
		(Iceland)	10(dust)	5
		(Sweden)	5(total dust) 2(respirable dust)	- -
NICKEL	*	7440-02-0/231-111-4		
		(France)	1	-
		(Belgium)	1	-
		(Spain)	1	-
		(Portugal)	1.5	-
		(Finland)	1	-
		(Denmark)	0.05	-
		(Switzerland)	0.5	-

			(Poland)		0.25	-
			(Norway)		0.05	-
			(Ireland)		0.5	
ZINC	*	7440-66-6/231-175-3			NE	NE
COBALT	*	7440-48-4/231-158-0				
			(UK)	powder	0.1	0.3
			(Belgium)		0.02	-
			(Spain)		0.02	-
			(Portugal)		0.02	-
			(The Netherlands)		0.02	-
			(Finland)		0.05	-
			(Denmark)		0.01	-
			(Switzerland)		0.1(skin)	-
			(Poland)		0.05	0.2
			(Norway)		0.02	-
			(Ireland)		0.1	-
CERIUM	trace	7440-45-1/231-154-9			N.E.	N.E.
TITANIUM	trace	7440-32-6/231-142-3				
			(Poland)		10	30
MANGANESE	trace	7439-96-5/231-105-1				
			(UK)		0.5	1.5
			(France)		1	-
			(Belgium)		0.2	-
			(Spain)		0.2	-
			(Germany)		0.2(inhalable fraction) 0.02(respirable fraction)	1.6 0.16
			(Portugal)		0.2	-
			(Finland)		0.2	-
			(Austria)		0.5	2

	(Denmark)	0.2	-
	(Switzerland)	0.5	-
	(Poland)	0.3	-
	(Norway)	1	-
		0.1(inhalable fraction)	3
		0.1(respirable fraction)	0.3
	(Croatia)	0.5	-
	(Ireland)	1(fume)	-
		0.2	3
	(Czech Republic)	1	2(ceiling)
	(Estonia)	1(total dust)	-
		0.5(respirable dust)	-
	(Hungary)	5	20
	(Iceland)	2.5(total dust)	5(ceiling)
		1(respirable dust)	2(ceiling)
GERMANIUM	*	7440-56-4/231-164-3	N.E.
			N.E.

N.E. = Not established

TWA = time weighted average

STEL = short term exposure limit

Ceiling = Never to exceed

8.2 Exposure Controls:

Engineering Controls: Use with proper equipment with adequate exhaust ventilation and other safety features specifically designed for use with solder applications or other industrial uses when melting, grinding and cutting metals. Control concentration of all components with established exposure limits so they are not exceeded. Use exhaust ventilation when heating product. Air emission control equipment may be necessary based on the local governmental requirements for contaminants entering the atmosphere. Emissions contain metal fumes.

Personal protection:

Eyes: Chemical safety glasses/goggles. Face shield for molten metal.

Respiratory: An approved or EU compliant CE marked air-purifying respirator with a fume/organic chemical cartridge is recommended under certain circumstances (i.e. when re-flowing manually on a plate instead of a ventilated re-flow furnace) where airborne concentrations are expected to be elevated or exceed exposure limits.

Skin: Hot gloves for handling molten metal. Sleeve protectors for molten metal. Work gloves for handling solid metal as necessary. Nitrile gloves for handling delicate metal parts.

Other: Lab coat, eye-wash fountain in work area. Avoid the use of contact lenses in high fume areas.

Work/Hygienic Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area. Eyewash in area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:	Solid metal	Boiling Point/Range:	Not determined
Odor:	None.	Melting Point/Freezing Point:	Not applicable
Odor Threshold:	Not established	Evaporation Rate:	Not applicable
Specific Gravity:	See alloy table	pH:	Not applicable
Vapour Pressure:	Not applicable.	Solubility in Water:	Insoluble
Vapour Density:	(air=1) Not applicable.	Partition coefficient:	Not established
Relative Density:	Not established	Flammability:	Not applicable
Flash Point:	Not applicable	Method:	Not applicable
Auto-ignition Temperature:	Not applicable	Flammable Limits:	Limits not established
UEL/LEL Limits:	Not applicable	Decomposition Temp:	Not applicable
Viscosity:	Not established	Explosive properties:	Not applicable
Oxidizing Properties:	Not established		

9.2 Other Information: Above data for the whole mixture.

SECTION 10. STABILITY AND REACTIVITY

- 10.1 Reactivity: Stable.
- 10.2 Chemical Stability: Stable
- 10.3 Possibility of Hazardous Reactions: Not established
- 10.4 Conditions To Avoid: None known
- 10.5 Incompatible Materials: Avoid contact with acids, bases or oxidizing agents.
- 10.6 Hazardous Decomposition: Harmful organic fumes and toxic oxide fumes may form at elevated temperatures. Metal oxide fumes.
- Hazardous Polymerization:** Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

<u>Acute toxicity:</u>	Not established	<u>Mutagenicity:</u>	Not established
<u>Irritation:</u>	Not established	<u>Toxicity for Reproduction:</u>	Not Established
<u>Corrosivity:</u>	Not applicable	<u>Absence of specific data:</u>	None available (not tested)
<u>Sensitization:</u>	Not available		
<u>Repeated dose toxicity:</u>	Not established		
<u>Carcinogenicity:</u>	Not established		
<u>Likely Routes of Entry:</u>	eyes (irritation) /skin (irritation) /inhalation (irritation/harmful) ingestion (may be harmful)		
<u>Interactive effects:</u>	None known		

Symptoms related to the physical, chemical and toxicological characteristics:

May cause irritation or harm by inhalation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Mixture verses substance information: None known

Other Information:

Carcinogenicity: NTP: No (National Toxicity Program)

Listing OSHA: No (US Occupational Safety & Health Administration)

IARC: No (UN International Agency for Research on Cancer)

RTECS# NL1050000 (indium), VM3500000 (silver), XP7320000 (tin), GL7900000 (fume/copper), CC4025000 (antimony), QR5950000 (nickel), GF8750000 (cobalt), BD0330000 (aluminum)

RTECS – Registry of Toxic Effects of Chemical Substances

SECTION 12. ECOLOGICAL INFORMATION

This section is subject to future development. Product mixtures not tested.

12.1 Toxicity: No information available

12.2 Persistence and degradability: No information available

12.3 Bioaccumulative potential: No information available

12.4 Mobility in soil: No information available

12.5 Results of PBT and vPvB assessments: No data is available

12.6 Other adverse effects: No information is available for mixture. Avoid release to environment.

SECTION 13. DISPOSAL CONSIDERATION

13.1 Waste treatment method: Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with environmental regulations. Containerize material and classify according to applicable regulations. No pre-treatment on site is recommended. Do not dispose of down any drain or waterway. Utilize the same personal protective equipment as the user when handling for disposal.

RoHS (Restriction of Hazardous Substances): Product mixtures do not contain any PBB or PBDT brominated compounds. RoHS 2 (2011/65/EU)

SECTION 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.

Not regulated/non - hazardous under US DOT (United States Department of Transportation).

Not regulated/non - hazardous under international shipping requirements.

14.1 UN number Not applicable

14.2 UN proper shipping name: Not applicable

14.3 Transport hazard class(s): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable

Special precautions for user: Not applicable

Transport in bulk: Not applicable

Marine pollutant: No

SECTION 15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

All ingredients are listed on the USEPA TSCA Inventory.

All ingredients are listed on EINECS.

Safety data sheet was developed using EC 1907/2006 amended as of 20 May 2010 EU No 453/2010 and information as stated under regulation EC No 1272/2008 CLP Regulation. 2015/830

GHS = Global Harmonized System

CLP= Classification, labeling and packaging

Product does not contain any substances ozone depleting substances and therefore not subject to EC 2037/2000.

WGK German Water Hazard- solid metal nwg

15.2 Chemical safety assessment: None performed for mixture.

SECTION 16. OTHER INFORMATION

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.

Revised Date: 14 MAY 2018

Prepared by: Nancy Swarts, The Indium Corporation of America, nswarts@indium.com

Approved by: Nancy Swarts, The Indium Corporation of America

Changes provided on this SDS were based on the requirements of EU No. 453/2010 of May 20, 2010 regarding amendments to EC No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Alloy Table Mixtures

%

Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Bismuth Bi	Copper Cu	Cobalt Co	Manganese Mn	RoHS 2* Compliance	Liquidus C/F ^o	Mass Density
121	96.5	-	-	-	3.5	-	-	-	-	-	-	-	YES	221/430	7.36
123	97.5	-	-	-	2.5	-	-	-	-	-	-	-	YES	226/439	7.34
128	100	-	-	-	-	-	-	-	-	-	-	-	YES	232/450	7.28
132	95	-	-	-	5	-	-	-	-	-	-	-	YES	240/464	7.39
133	95	-	-	-	-	5	-	-	-	-	-	-	YES	240/464	7.25
156	90	-	-	-	10	-	-	--	-	-	-	-	YES	295/563	7.51
160	97	-	-	-	--	-	-	-	-	3	-	-	YES	300/572	7.32
173	99	-	1	-	-	-	-	-	-	-	-	-	YES	345/653	7.26
201	91	-	-	-	-	-	-	9	-	-	-	-	YES	199/390	7.27
208	8	-	-	-	7	-	-	-	-	85	-	-	YES	985/1805	8.87
209	65	-	-	-	25	10	-	-	-	-	-	-	YES	233/451	7.80
214	10	-	-	-	60	-	-	-	-	30	-	-	YES	720/1328	9.58
217	5	-	-	-	56	-	-	17	-	22	-	-	YES	650/1202	9.21
221	6	-	-	-	63	-	2.5	-	-	28.5	-	-	YES	800/1472	9.71
226	83.6	8.8	-	-	-	-	-	7.6	-	-	-	-	YES	187/369	7.27
224	46	52.2	-	-	-	--	-	1.8	-	-	-	-	YES	108/226	7.27
232	93.6	-	-	-	4.7	-	-	-	-	1.7	-	-	YES	217/423	7.40
241 (SAC387)	95.5	-	-	-	3.8	-	-	-	-	0.7	-	-	YES	217/423	7.40
243	99	---	-	-	-	-	-	-	-	1	-	-	YES	227/441	7.31
244	99.3	-	-	-	--	-	-	-	-	0.7	-	-	YES	227/441	7.31
246	95.5	-	-	-	4	-	-	-	-	0.5	-	-	YES	217/423	7.40
251	96.2	--	-	-	2.5	0.5	--	-	-	0.8	-	-	YES	217/423	7.37
252	95.5	-	-	-	3.9	-	-	-	-	0.6	-	-	YES	217/423	7.40
256	96.5	-	-	-	3	-	-	-	-	0.5	-	-	YES	218/424	7.40

(SAC305)															
258 (SAC105)	98.5	-	-	-	1	-	-	-	-	0.5	-	-	YES	227/441	7.32
259	90					10							YES	248/478	7.25
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Bismuth Bi	Copper Cu	Cobalt Co	Manganese Mn	RoHS 2* Compliance	Liquidus C/F^o	Mass Density
263 (SAC 0307)	99	-	-	-	0.3	-	-	-	-	0.7	-	-	YES	227/441	7.31
270	90.95				3.8	1.4	0.15		3	0.7			YES		
271	88.9				3.8	6			0.3	1			YES		
272	90				3.8	3.5			1.5	1.2			YES		7.39
276	90.6	-	-	-	3.2	5.5	-	-	-	0.7	-	-	YES	-	7.32
297	89.3	0.5	-	-	3.8	5.5	-	-	-	0.9	-	-	YES	-	7.34
Non Standard Sn995 (Cobalt 995)	99.5	-	-	-	-	-	-	-	-	0.5	<500 ppm	-	YES	-	7.29

NON STANDARD ALLOY MIXTURES

Non Standard	27	-	-	-	73	-	-	-	-	-	-	-	YES	-	9.38
Non Standard	30	65	-	-	4.5	-	-	-	-	0.5	-	-	YES	-	7.41
Non Standard	33.7	66.3	-	-	-	-	-	-	-	-	-	±	YES	-	7.29
Non Standard	54	40	-	-	2	-	-	-	-	4	-	±	YES	-	7.39
Non Standard	61	-	-	-	-	-	-	-	-	39	-	±	YES	-	7.85
Non Standard	63.5	-	-	-	25	10	-	-	-	1.5	-	±	YES	-	
Non Standard	64	30	-	-	2	-	-	-	-	4	-	±	YES	-	7.39
Non Standard	65	-	-	-	25	10	-	-	-	-	-	±	YES	-	
Non Standard	74	20	-	-	2	-	-	-	-	4	-	±	YES	-	7.38
Non Standard	78	-	-	-	2.5	-	-	-	19.5	-	-	-	YES	-	7.73
Non Standard	78.4	9.8	-	-	2	-	-	-	9.8	-	-	-	YES	-	7.52
Non Standard	78.5	-	-	-	10	10	-	-	-	1.5	-	-	YES	-	
Non Standard	80	-	-	-	10	10	-	-	-	-	-	-	YES	-	
Non Standard	82	-	-	-	18	-	-	-	-	-	-	-	YES	295/563	7.71

Non Standard	82	-	-	-	18	-	-	-	-	-	-	-	YES	295/563	7.71
Non Standard	84	10	-	-	2	-	-	-	-	4	-	-	YES	-	7.38
Non Standard	85	-	-	-	-	15	-	-	-	-	-	-	YES	300/572	7.31
Non Standard	85.9	10	-	-	3.1	-	-	-	-	1	-	-	YES	200/393	7.37
Non Standard	88	-	-	-	-	-	-	-	-	12	-	-	YES	-	7.45
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Bismuth Bi	Copper Cu	Cobalt Co	Manganese Mn	RoHS 2 * Compliance	Liquidus C/F^o	Mass Density
Non Standard	88	-	-	-	12	-	-	-	-	-	-	-	YES	-	7.56
Non Standard Ribbon	89	-	-	-	-	10.5	-	-	-	0.5	-	-	YES	-	7.21
Non Standard	89	2.5	-	-	3.8	3.5	-	-	0.5	0.7	-	-	YES	-	7.36
Non Standard	89.1	-	-	-	3.8	5.8	-	-	0.3	1	-	-	YES	-	7.34
Non Standard	89.3	0.5	-	-	3.8	5.5	-	-	-	0.9	-	-	YES	-	7.34
Non Standard	90	-	-	-	-	10	-	-	-	-	-	-	YES	248/478	7.25
Non Standard	91	-	-	0.06	-	-	-	8.94	-	-	-	-	YES	-	7.26
Non Standard	91.25	-	-	-	-	-	-	8.75	-	-	-	-	YES	199/390	7.27
Non Standard	91.25	-	-	-	2.25	-	-	-	6.0	0.5	-	-	YES	-	7.45
Non Standard	91.5	-	-	-	-	8.5	-	-	-	-	-	-	YES	-	7.22
Non Standard	91.98	-	0.02	-	-	8	-	-	-	-	-	-	Yes	-	7.22
Non Standard	92	-	-	-	-	-	-	8	-	-	-	-	YES	-	7.27
Non Standard	92.4	-	-	-	-	7	0.1	-	-	0.5	-	-	YES	-	7.24
Non Standard	92.5	-	-	-	3.5	-	-	-	-	4	-	-	YES	-	7.41
Non Standard	93	-	-	-	-	-	-	-	-	7	-	-	YES	-	7.32
Non Standard	93.5	-	-	-	3.5	-	-	-	3	-	-	-	YES	-	7.42
Non Standard	94	3	-	-	2.5	-	-	-	-	0.5	-	-	YES	-	7.34
Non Standard IPN 52357	94.13	-	-	0.05	1.63	0.61	-	0.75	-	2.87	-	-	YES	-	7.34
Non Standard	94.8	-	-	-	3.8	-	-	0.7	-	0.7	-	-	YES	-	7.37
Non	94.95	-	-	0.05	-	1.35	-	3.65	-	-	-	-	YES	-	7.25

Standard Solder Wire IPN 52361															
Non Standard	94.98		0.02			5							YES		7.24
Non Standard	95	-	-	-	3.8	-	-	0.5	-	0.7	-	-	YES	-	7.37
Non Standard	95	1.5	-	-	3.5	-	-	-	-	-	-	-	YES	-	7.36
Non Standard	95	-	-	0.5	4	-	-	-	-	0.5	-	-	YES	-	7.31
Non Standard	95	-	-	0.5	4	-	-	-	-	0.5	-	-	YES	-	7.31
Non Standard	95.4	-	-	-	3.8	-	-	0.1	-	0.7	-	-	YES	-	7.37
Non Standard	95.5	-	-	-	3.5	-	-	-	-	1	-	-	YES	218/424	7.40
Non Standard	95.5	-	-	-	3.65	-	-	-	0.15	0.7	-	-	YES	-	7.38
Non Standard Doped with 0.05% Al	95.5	-	-	-	4.0	-	-	-	-	0.5	-	-	YES	-	7.40
Non Standard	95.7	-	-	-	3.4	-	-	-	-	0.9	-	-	YES	218/424	7.36
SAC357	95.8	-	-	-	3.5	-	-	-	-	0.7	-	-	YES	-	7.37
Non Standard	95.9	-	-	-	3.4	-	-	-	-	0.7	-	-	YES	218/424	7.40
Non Standard	95.9	1	-	-	0.1	-	-	-	-	3	-	-	YES	-	7.32
Non Standard	96	-	-	-	4	-	-	-	-	-	-	-	YES	240/465	7.40
Non Standard	96.3	-	-	-	3	-	-	-	-	0.7	-	-	YES	218/424	7.40
Non Standard	96.3	-	-	-	3.7	-	-	-	-	-	-	-	YES	221/430	7.42
Non Standard	96.3	-	-	-	3.2	-	-	-	-	0.5	-	-	YES	218/424	7.38
Non Standard	96.5	-	-	-	3	-	-	-	-	0.5	-	-	YES	218/424	7.40
Non Standard	97	-	-	-	2.5	-	-	-	-	0.5	-	-	YES	-	7.34
Non Standard (SAC 209)	97.1	-	-	-	2.0	-	-	-	-	0.9	-	-	YES	-	7.34
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Bismuth	Copper Cu	Cobalt Co	Manganese Mn	RoHS 2* Compliance	Liquidus C/F^o	Mass Density

									Bi						
Non Standard Solder Wire	97.5	-	-	-	1.5	-	-	-	-	0.7	0.3	-	YES	-	7.19
Non Standard Doped with 0.02% Titanium	97.5	-	-	-	1.8	-	-	-	-	0.7	-	-	YES	-	7.33
Non Standard	97.7	-	-	-	2	-	0.3	-	-	-	-	-	YES	-	7.19
Non Standard	97.9	-	-	-	2	-	0.1	-	-	-	-	-	YES	-	7.28
Non Standard	98	-	-	-	2	-	-	-	-	-	-	-	YES	-	7.32
Non Standard	98.13	-	-	-	1.1	-	-	-	-	0.65	-	≤0.15	YES	-	7.26
Non Standard Doped with 0.02% Titanium	98.3	-	-	-	1.0	-	-	-	-	0.7	-	-	YES	-	7.31
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Bismuth Bi	Copper Cu	Cobalt Co	Manganese Mn	RoHS 2* Compliance	Liquidus C/F⁰	Mass Density
Non Standard Doped with 0.04% Mn and 0.01 Ce	98.45	-	-	-	1	-	-	-	-	0.5	-	0.04	YES	-	7.31
Non Standard (SAC 105)	98.5	-	-	-	1	-	-	-	-	0.5	-	-	YES	-	7.31
Non Standard (SAC 105) Doped with 0.05% Manganese	98.5	-	-	-	1	-	-	-	-	0.5	-	Doped 0.05	YES	-	7.31
Non Standard (SACM0510) Doped with .02% - .06% Manganese	98.5	-	-	-	0.5	-	-	-	-	1.0	-	Doped .02 - .06	YES	-	7.31
Non Standard (SAC 105) Doped with 0.05%	98.5	-	-	-	1	-	-	-	-	0.5	-	Doped 0.05	YES	-	7.31

Manganese and 0.02% Cerium															
Non Standard (SAC# 0307)	99	-	-	-	0.3	-	-	-	-	0.7	-	-	YES	-	7.30
Non Standard	99.1	-	-	-	-	-	-	-	-	0.9	-	-	YES	-	7.29
Non Standard	99.15	-	-	-	-	-	-	-	0.3	0.5	0.05	-	YES	-	7.29
Non Standard Sn992	99.2	-	-	-	-	-	-	-	0.3	0.5	<500 ppm	-	YES	-	7.29
Non Standard	99.3	-	-	-	-	-	-	-	-	0.7	-	-	YES	-	7.29
Non Standard Sn995 (Cobalt 995)	99.5	-	-	-	-	-	-	-	-	0.5	<500 ppm	-	YES	-	7.29
Non Standard	95	-	-	-	-	-	-	-	-	5	-	-	YES	-	7.35
Non Standard	95	=	=	=	0.5	=	=		-	4.5	=	=	YES	-	7.37

RoHS 2 (2011/65/EU)