



## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product Identifier:** INDALLOY WITH INDIUM 10.1HF EXPERIMENTAL FLUX VEHICLE

**SDS Number:** SDS-6334S

**Revised Date:** 20 DECEMBER 2017

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Product Use:** Industrial Use (mixture) - Solder paste consisting of a flux vehicle blended with 88-89 weight percent pre-alloyed metal powder. See alloy table.

**1.3 Details of the supplier of the safety data sheet**

**MANUFACTURER/SUPPLIER/IMPORTER:**

**In America:**

The Indium Corporation of America  
34 Robinson Rd., Clinton, New York 13323  
Information: (315) 853-4900  
nswarts@indium.com

**In Europe:**

Indium Corporation of Europe  
7 Newmarket Ct.  
Kingston, Milton Keynes, UK, MK 10 OAG  
Information: +44 [0] 1908 580400

**In China:**

Indium Corporation (Suzhou) Co., Ltd.  
No. 428 Xinglong Street  
Suzhou Industrial Park  
Suchun Industrial Square  
Unit No. 14-C  
Jiangsu Province, China 215126  
Information: (86) 512-6283-4900

**In Asia:**

The Indium Corporation of America  
Asia-Pacific Operations-Singapore  
29 Kian Teck Avenue  
Singapore 628908  
Information: +65 6268-8678

**1.4 Emergency Telephone Number****FOR CHEMICAL EMERGENCY ONLY PHONE \*:****CHEMTREC 24 hrs.****USA: 1 (800) 424-9300****Outside USA: +1 (703) 527-3887****\* Used only for spill/leak/fire/exposure/accident****ALL OTHER INQUIRIES: TOLL FREE: +1-800-448-9240 Indium Corporation****SECTION 2. HAZARDS IDENTIFICATION****PRIMARY ROUTES OF ENTRY:**

⊕Eye

⊕Inhalation

⊕Skin

⊕Ingestion

NTP

**Carcinogen listed in**

IARC

OSHA

⊕Not Listed

**2.1 Classification of substance or mixture: (mixture)****2.2 Label Elements**

Labeling according to Regulation (EC) No. 1272/2008

GHS:

Lead free products:



Signal Word: Warning

**Hazard statement(s)**

H317	May cause an allergic skin reaction
H320	Causes eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
EUH208	Contains rosin. May produce an allergic reaction

**Precautionary statement(s)**

P233	Keep container tightly closed
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P270	Do not eat, drink or smoke when using this product
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P362	Take off contaminated clothing and wash before reuse
P301 + P314	IF SWALLOWED: Get Medical advice/attention if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P304 + 341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + 351	IF IN EYES: Rinse continuously with water for several minutes (15 mins)
P501	Dispose of content via approved waste handling or recycle if possible.

**Classification:**

Eye Irritant (Category 2)

Sensitization, skin (Category 1B)

Sensitization, respiratory (Category 1B)

**2.3 OTHER HAZARDS:****POTENTIAL HEALTH EFFECTS:**

- Eye Contact:** Contact with material at room temperature or fume from material at typical re-flow temperatures over 100°C may cause eye irritation.
- Ingestion:** This product contains metal alloy powders and chemicals. May be harmful.
- Inhalation:** Vapors or fumes from this material at typical re-flow temperatures over 100°C may cause irritation to the respiratory system. May be harmful, if inhaled. Inhalation of rosin fume may cause occupational asthma.
- Skin Contact:** May cause skin irritation. Rosin may cause dermatitis and product may cause skin sensitization.

**Chronic:**

SILVER: Chronic skin contact or ingestion of silver powder, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

TIN: Has been shown to increase incidence of sarcoma in animal tests.

COPPER: Overexposure to fumes of copper may cause metal fume fever (chills, muscle aches, nausea, fever; dry throat, cough, weakness, lassitude); metallic or sweet taste; discoloration of skin and hair.

**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS****3.2 Mixture:**

Components	%wt	CAS Registry #/ EINECS#
TIN	*	7440-31-5/231-141-8
SILVER	*	7440-22-4/231-131-3
COPPER	*	7440-50-8/231-159-6
ANTIMONY	*	7440-36-0/231-146-5
ROSIN	5.0-6.0	65997-05-9
POLYGLYCOL ETHER	3.0-4.0	9038-95-3
PROPRIETARY ACTIVATORS NON HAZARDOUS	1.0-3.0	-

N.E. = Not established

<http://www.indium.com>

**SECTION 4. FIRST AID MEASURES****4.1 Description of first aid measures:**

**Eye Contact:** Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.

**Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.

**Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

#### **4.2 Most important symptoms and effects, both acute and delayed:**

Skin contact may cause irritation. Long term contact may cause dermatitis. Inhalation of decomposed rosin fume may cause irritation or occupational asthma. Exposure to metal fumes may cause irritation to the respiratory system. Long term exposure by inhalation to metal fumes may cause illness such as metal fume fever. Sign of overexposure is anemia. Exposure can cause eye irritation and can cause serious irritation especially during fuming.

#### **4.3 Indication of any immediate medical attention and special treatment needed:**

No specific special treatment information is available on this mixture. Review data provided in this document to understand the hazards when working with the product. No other information is available at this time.

## **SECTION 5. FIRE FIGHTING MEASURES**

### **5.1 Extinguishing Media:**

Use extinguishers appropriate for the surrounding fire conditions. Water, CO2 or foam media.

### **5.2 Special hazards arising from the substance or mixture:**

May produce toxic fumes of carbon monoxide if burning or metal oxide fumes.

### **5.3 Advice for Firefighters**

Fire fighters must wear approved self-contained breathing apparatus and full protective clothing.

Material product is not flammable. No other information is available.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures:**

#### **For non-emergency personnel:**

Keep away from the spill. Remove sources of ignition. Keep exhaust ventilation system running. In the event of a fire evacuate area.

#### **For emergency responders:**

Wear safety glasses, gloves when cleaning up any spill. Other equipment may be necessary based on the immediate area and other chemicals unrelated to the product that may be in use. Adequate ventilation should be available. Keep unnecessary personnel away from area during clean up.

**Environmental Precautions:** Dispose contaminated cloth rags or paper towels following all applicable governmental regulations. Material may have reclaim value. Material is non - hazardous. It however does contain metals and organic chemicals which may not be suited for release to any body of water including drains.

#### **Methods and material for containment and cleaning up:**

Spill or leak procedures: Using a spatula, scoop up paste and place in a plastic or glass jar and tightly cap. Remove traces of paste residue using cloth rags or paper towels moistened with ethyl or isopropyl alcohol.

**6.2 Reference to other sections:** See Section 8 for exposure levels.

## SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions For Safe Handling:

Keep containers tightly closed when not in use. Use care to avoid spills. Use only with production equipment specifically designed for use with solder paste. Wear appropriate personal protective equipment when working or handling solder paste. Always thoroughly wash your hands after handling this product. DO NOT touch or rub eyes until hands are washed. Do not eat, drink or smoke when handling this product. Utilize exhaust ventilation when heating product. Emissions may contain metal fumes, rosin and organic compounds.

### 7.2 Conditions for Safe Storage, including any incompatibilities:

**Storage Precautions:** Store product in tightly capped original containers in a cool, dry area. Refer to product label and product data sheet for specific storage temperature requirements. Rotate stock to ensure use before expiration date.

**7.3 Specific End Use(s):** Soldering applications

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters:

		CAS Registry #/ EINECS#	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
TIN	*	7440-31-5/231-141-8			
		(UK)		2	4
		(Belgium)		2	-
		(Germany)		2	-
		(Netherlands)		2	-
		(Spain)		2	-
		(Poland)		2	-
SILVER	*	7440-22-4/231-131-3			
		(UK)		0.1	0.3
		(Belgium)		0.1	-
		(France)		0.1	-
		(Germany)		0.1	-
		(Netherlands)		0.1	-
	(Spain)		0.1	-	

		(Poland)	0.05	-
<b>COPPER</b>	*	7440-50-8/231-159-6		
		(UK)	0.2 (fume)	0.6(fume)
		(France)	2	0.2(fume)
		(Belgium)	1	-
			0.2(fume)	
		(Spain)	1	-
			0.2(fume)	
		(Portugal)	1	0.2(fume)
		(Netherlands)	0.1	-
		(Finland)	1	-
			0.1	
		(Denmark)	1	-
			0.1	
		(Austria)	1	4
			0.1(fume)	0.4
		(Switzerland)	0.1	0.2
		(Norway)	1	0.1
		(Ireland)	1	2
			0.2 (fume)	
		(Poland)	0.2	-
<b>ANTIMONY</b>	*	7440-36-0/231-146-5		
		(UK)	0.5	-
		(France)	0.5	-
		(Belgium)	0.5	-
		(Spain)	0.5	-
		(Portugal)	0.5	-
		(The Netherlands)	0.5	-
		(Finland)	0.5	-
		(Denmark)	0.5	-
		(Austria)	0.5	5
		(Switzerland)	0.5	-
		(Poland)	0.5	-

		(Norway)		0.5	-
		(Ireland)		0.5	-
<b>ROSIN</b>	5.0-6.0	65997-05-9	N.E.	N.E.	N.E.
		(EU)	0.05	N.E.	0.15 (sensitizer)
<b>POLYGLYCOL ETHER</b>	3.0-4.0	9038-95-3	N.E.	N.E.	N.E.
<b>PROPRIETARY ACTIVATORS NON HAZARDOUS</b>	1.0-3.0	-	N.E.	N.E.	N.E.

N.E. = Not established      TWA= time weighted average      STEL= short term exposure limit

**8.2 Exposure Controls:**

**Engineering Controls:** Use with production equipment (such as stencil printers and re-flow furnaces) with adequate ventilation and other safety features specifically designed for use with solder paste. Control concentration of all components so that any permissible exposure limits are not exceeded. Exhaust ventilation is recommended when heating this product.

**Personal protection:**

**Eyes:** Chemical safety glasses/goggles. Face shield for any splash hazards.

**Respirator:** An authority approved or compliant marked air-purifying respirator with a fume/organic chemical cartridge is recommended under certain circumstances (i.e. when re-flowing manually on a plate instead of a ventilated re-flow furnace) where airborne concentrations are expected to be elevated or exceed exposure limits.

**Skin:** Compatible chemical resistant gloves. Latex gloves are not recommended.

**Other:** Lab coat, eye-wash fountain in work area. Avoid the use of contact lenses in high fume areas.

**Work/Hygienic Practices:** Maintain good housekeeping. Clean up spills immediately. Do not allow rags or paper towels contaminated with solder paste to accumulate in the work area. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

<b>Appearance:</b>	Grey colored paste.	<b>Boiling Point:</b>	Not applicable.
<b>Odor:</b>	Mild characteristic odor.	<b>Melting Point:</b>	Not applicable
<b>Specific Gravity:</b>	Not established	<b>pH:</b>	Not applicable for paste
<b>Vapor Pressure:</b>	Not applicable.	<b>Solubility in Water:</b>	Insoluble (paste)
<b>Vapor Density:</b>	(air=1) Not applicable.		

**9.2 Other Information:** Above data for the whole mixture.

**SECTION 10. STABILITY AND REACTIVITY**

- 10.1 Reactivity:** Stable.
- 10.2 Chemical Stability:** Stable

**10.3 Possibility of Hazardous Reactions:** Not established

**10.4 Conditions To Avoid:** Not established.

**10.5 Incompatible Materials:** Avoid contact with acids, bases or oxidizing agents.

**10.6 Hazardous Decomposition** Harmful organic fumes and toxic oxide fumes may form at elevated temperatures.

**Hazardous Polymerization:** Will not occur

## SECTION 11. TOXICOLOGICAL INFORMATION

**Other:** Chronic Toxicity: Prolonged or repeated exposure to rosin flux fume may cause workers to develop occupational asthma.

Product contains <1% of a substance that may damage fertility or the unborn child.

### 11.1 Information on toxicological effects:

**Acute toxicity:** Not established

**Mutagenicity:** Not established

**Irritation:** Not established

**Toxicity for Reproduction:** Not Established

**Corrosivity:** Not applicable

**Absence of specific data:** None available (not tested)

**Sensitization:** Not available

**Repeated dose toxicity:** Not established

**Carcinogenicity:** Not established

**Likely Routes of Entry:** eyes (irritation) /skin (irritation) /inhalation (irritation)

**Interactive effects:** None known

### 11.2 Symptoms related to the physical, chemical and toxicological characteristics:

May cause irritation to eyes and skin.

### 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure:

None known

**Mixture verses substance information:** None known

#### **Other Information:**

**Carcinogenicity Listing:** NTP: No (National Toxicity Program)

OSHA: No (US Occupational Safety & Health Administration)

IARC: No (UN International Agency for Research on Cancer)

## SECTION 12. ECOLOGICAL INFORMATION

Product mixture not tested.



- 12.1 Toxicity:** No information available
- 12.2 Persistence and degradability:** No information available
- 12.3 Bioaccumulative potential:** No information available
- 12.4 Mobility in soil:** No information available
- 12.5 Results of PBT and vPvB assessments:** No data is available
- 12.6 Other adverse effects:** No information is available for mixture. Avoid release to environment.

## SECTION 13. DISPOSAL CONSIDERATION

### 13.1 Waste treatment method:

Dispose of in accordance with environmental regulations. Containerize material and classify according to applicable regulations. No pre-treatment on site is recommended. Do not dispose of down any drain or waterway. Utilize the same personal protective equipment as the user when handling for disposal. Non- hazardous flux.

**RoHS 2 (Restriction of Hazardous Substances):** Compliant with RoHS (2011/65/EU).

## SECTION 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.

Flux is non-hazardous.

Not regulated/non-hazardous under US DOT (United States Department of Transportation).

Not regulated/non-hazardous under international shipping requirements.

- 14.1 UN Number** None
- 14.2 UN proper shipping name:** None
- 14.3 Transport hazard class(s):** None
- 14.4 Packing group:** None
- 14.5 Environmental hazards:** None
- 14.6 Special precautions for user:** None

## SECTION 15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

The information in this Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

All ingredients are listed on the USEPA TSCA Inventory.

All ingredients are listed on EINECS.

Safety data sheet was developed using EC 1907/2006 amended as of 20 May 2010 EU No 453/2010 and information as stated under regulation EC No 1272/2008 CLP Regulation.

GHS = Global Harmonized System

CLP= Classification, labeling and packaging

Product does not contain any substances ozone depleting substances and therefore not subject to EC 2037/2000.

**15.2 Chemical safety assessment:** None performed for mixture.

**ALLOY TABLE**

%Metal mix with flux

<b>INDALLOY (METAL MIX)</b>	<b>%COPPER Cu</b>	<b>%TIN Sn</b>	<b>%SILVER Ag</b>	<b>%ANTIMONY Sb</b>	<b>*RoHS 2 Compliance</b>
<b>121</b> (96.5Sn/3.5Ag)	-	<b>84.9-85.9</b>	<b>3.08-3.1</b>	-	<b>Yes</b>
<b>133</b> 95Sn/5Sb	-	<b>83.6-84.6</b>	-	<b>4.4-4.45</b>	<b>Yes</b>
<b>256</b> (SAC 305) (96.5Sn/3Ag/0.5Cu)	<b>0.44-0.445</b>	<b>84.9-85.9</b>	<b>2.6-2.67</b>	-	<b>Yes</b>
<b>276</b> (90.6Sn/3.2Ag/0.7Cu/ 5.5Sb)	<b>0.616-0.62</b>	<b>79.7-80.6</b>	<b>2.82-2.85</b>	<b>4.84-4.90</b>	<b>Yes</b>

RoHS 2= Restriction of Hazardous Substances EU Directive 2011/65/EU

**SECTION 16. OTHER INFORMATION**

**NOTE:** The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.

**Revised Date:** 20 DECEMBER 2017  
**Prepared by:** Nancy Swarts, The Indium Corporation of America, nswarts@indium.com  
**Approved by:** Nancy Swarts, The Indium Corporation of America

Changes provided on this SDS were based on the requirements of EU No. 453/2010 of May 20, 2010 regarding amendments to EC No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.